### For Research Use Only

# RHOA Monoclonal antibody

Catalog Number:66733-1-lg Featured Product

9 Publications



**Purification Method:** 

Protein A purification

Recommended Dilutions:

WB 1:500-1:2000

CloneNo.:

1B3D7

**Basic Information** 

Catalog Number: 66733-1-lg

Isotype:

Size: 1000 µg/ml Source: Mouse

lgG1 Immunogen Catalog Number:

AG1141

GenBank Accession Number: BC005976

GeneID (NCBI): **UNIPROT ID:** 

IHC 1:50-1:500 Full Name: IF 1:50-1:500 ras homolog gene family, member A

Calculated MW: 22 kDa

P61586

Observed MW: 22 kDa

**Applications** 

**Tested Applications:** IF/ICC, IHC, WB, ELISA Cited Applications:

IF, IHC, WB Species Specificity: Human, mouse, pig, rat **Cited Species:** 

human, pig

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HeLa cells, HEK-293 cells, Jurkat cells

IHC: human colon cancer tissue,

IF: HeLa cells,

## **Background Information**

RhoA is a member of the Rho family of small GTPases, which cycle between inactive GDP-bound and active GTPbound states and function as molecular switches in signal transduction cascades. Rho proteins promote reorganization of the actin cytoskeleton and regulate cell shape, attachment, and motility. Overexpression of RhoA is associated with tumor cell proliferation and metastasis. RhoA signalling is critical to many cellular processes including migration, mechanotransduction, and is often disrupted in carcinogenesis.

### **Notable Publications**

Author	Pubmed ID	Journal	Application
Yu-Yuan Zhang	36259516	J Biol Chem	WB
Zhangya Pu	36224658	Cancer Cell Int	WB
Liu Jie	34093790	J Cancer	WB

Storage


Storage:

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 66733-1-1g (RHOA antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 66733-1-Ig (RHOA antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 66733-1-Ig (RHOA antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using 66733-1-1g (RHOA antibody) at dilution of 1:100 and Alexa Fluor 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).