

For Research Use Only

TRAF5 Monoclonal antibody, PBS Only



Catalog Number: 66991-1-PBS

Basic Information

Catalog Number: 66991-1-PBS	GenBank Accession Number: BC029600	Purification Method: Protein A purification
Size: 1 mg/ml	GeneID (NCBI): 7188	CloneNo.: 1B1A7
Source: Mouse	UNIPROT ID: O00463	
Isotype: IgG1	Full Name: TNF receptor-associated factor 5	
Immunogen Catalog Number: AG26070	Calculated MW: 557 aa, 64 kDa	
	Observed MW: 64 kDa	

Applications

Tested Applications:
WB, Indirect ELISA

Species Specificity:
Human

Background Information

TRAF5 (also known as TNF receptor-associated factor 5, Ring finger protein 84, RNF8, MGC:39780) is a member of the tumor necrosis factor receptor-associated (TRAF) family of proteins that are characterized by the presence of a meprin and TRAF homology (MATH) domain, a RING-type zinc finger domain, and two TRAF-type zinc finger domains (<https://www.uniprot.org/uniprot/O00463>). TRAF5 is a scaffold protein that associates with and mediates signal transduction by cell surface receptors belonging to the tumor necrosis factor (TNF) superfamily, including CD27, CD30, CD40, and Lymphotoxin- β receptor, positively regulating activation of the canonical NF- κ B pathway and c-Jun NH2-terminal kinase (JNK) activation by these receptors (PMIDs: 8999898, 9582383, 8790348, 8663299). The RING-type zinc finger domain of TRAF5 exhibits ubiquitin protein ligase activity and is responsible for Lys-63-linked polyubiquitination of protein targets (PMIDs: 23758787, 29176576). This domain has been demonstrated to be required for TRAF5-mediated activation of NF- κ B (PMID: 8663299).

Storage

Storage:
Store at -80°C.

Storage Buffer:
PBS Only

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com

W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



HeLa cells were subjected to SDS PAGE followed by western blot with 66991-1-Ig (TRAF5 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66991-1-PBS in a different storage buffer formulation.