For Research Use Only

## PI3 Kinase p110 Alpha Monoclonal antibody, PBS Only



**Purification Method:** 

Protein A purification

CloneNo.:

1F6A7

Catalog Number:67071-1-PBS

**Featured Product** 

**Basic Information** 

Catalog Number: 67071-1-PBS

Size: 6519 µg/ml Source: Mouse Isotype:

IgG2b phosphoinositide-3-kinase, catalytic,
Immunogen Catalog Number alpha polypeptide

Immunogen Catalog Number: AG17392

Calculated MW: 1068 aa, 124 kDa Observed MW: 110 kDa

GenBank Accession Number:

BC113601

5290

P42336 Full Name:

GeneID (NCBI):

**UNIPROT ID:** 

**Applications** 

Tested Applications: WB, IF, IHC, ELISA Species Specificity:

Human, Mouse, Rat, Pig, Rabbit, rabbit

**Background Information** 


PIK3CA belongs to the PI3/PI4-kinase family. It phosphorylates PtdIns, PtdIns4P and PtdIns(4,5)P2 with a preference for PtdIns(4,5)P2. Defects in PIK3CA are associated with colorectal cancer (CRC). Defects in PIK3CA are associated with breast cancer. Defects in PIK3CA are associated with ovarian cancer. Defects in PIK3CA may underlie hepatocellular carcinoma (HCC). Defects in PIK3CA are a cause of keratosis seborrheic (KERSEB).

Storage

T: 4006900926

Storage: Store at -80°C. Storage Buffer: PBS only


## **Selected Validation Data**




U2OS cells were subjected to SDS PAGE followed by western blot with 67071-1-lg (PI3 Kinase p110 Alpha antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated Lamin B1 Monoclonal antibody (HRP-66095) as loading control. This data was developed using the same antibody clone with 67071-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 67071-1-1g (PIK3CA antibody) at dilution of 1:500 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67071-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 67071-1-lg (PIK3CA antibody) at dilution of 1:500 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67071-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (-20°C Methanol) fixed HeLa cells using PI3 Kinase p110 Alpha antibody (67071-1-Ig, Clone: 1F6A7) at dilution of 1:400 and CoraLite® 488-Conjugated Affini Pure Goat Anti-Mouse IgC(H+L). This data was developed using the same antibody clone with 67071-1-PBS in a different storage buffer formulation.