## For Research Use Only

## MAD2L2 Monoclonal antibody, PBS Only



Catalog Number: 67100-1-PBS

**Basic Information** 

Catalog Number: 67100-1-PBS

Size: 1 mg/ml Source: Mouse Isotype: lgG2b

Immunogen Catalog Number:

AG28233

Calculated MW:

GenBank Accession Number: **Purification Method:** Protein A purification

CloneNo.:

2A4C2

BC015244 GeneID (NCBI): 10459

MAD2 mitotic arrest deficient-like 2 (veast)

211 aa, 24 kDa Observed MW: 24 kDa

**UNIPROT ID:** 

Q9UI95 Full Name:

**Applications** 

**Tested Applications:** WB, IHC, Indirect ELISA Species Specificity: Human, mouse, rat


**Background Information** 

MAD family, together with BUB and Mps1,Cdc20k, play roles in the mitotic spindle checkpoint. MAD2L2 is one of the MAD family. It can mediate the second polymerase switching in translation DNA synthesis by mediating the interaction between the error-prone DNA polymerase zeta catalytic subunit REV3L and the inserter polymerase REV1. Through regulation of the JNK-mediate phosphorylation and activation of the transcriptional activator ELK1, MAD2L2 involves in cellular response to DNA damage. Also it has role in the progression of cell cycle and peithelialmesenchymal transdifferentiation.


Storage

Storage: Store at -80°C. Storage Buffer: PBS Only

## **Selected Validation Data**



Various lysates were subjected to SDS PAGE followed by western blot with 67100-1-lg (MAD2L2 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 67100-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human lymphoma tissue slide using 67100-1-Ig (MAD2L2 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67100-1-PBS in a different storage buffer formulation.