For Research Use Only

## PIP5K1A Monoclonal antibody, PBS Only



Catalog Number: 67483-1-PBS

**Basic Information** 

Catalog Number:

GenBank Accession Number:

**Purification Method:** 

67483-1-PBS

GeneID (NCBI):

BC007833

Protein A purification

Size: 1 mg/ml

8394

CloneNo.:

Source:

**UNIPROT ID:** Q99755

3E5G12

Mouse Isotype:

Full Name: phosphatidylinositol-4-phosphate 5-

lgG2b Immunogen Catalog Number:

kinase, type I, alpha

AG8355

Calculated MW:

56 kDa, 63 kDa

Observed MW: 63 kDa

**Applications** 

**Tested Applications:** 

WB,Indirect ELISA,IHC

Species Specificity:

**Background Information** 

Phosphatidylinositol 4-phosphate 5-kinases (PIP5Ks) play diverse roles in the cellular biology of many organisms, including signal transduction, secretion and vesicular trafficking, and regulation of cytoskeleton assembly(PMID:17688436). There are three PIP5K isoforms,  $\alpha$  ,  $\beta$  , and  $\gamma$  . The nomenclature for the  $\alpha$  and  $\beta$ isoforms is switched between humans and mice(PMID:22096541). There are also several splicing variants of the  $\gamma$ isozyme have been identified. (PMID: 20945365). PIP5K1A has some isoforms produced by alternative splicing with the molecular mass of 56-63 kDa.

Storage

Storage:


Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer:

PBS Only


## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 67483-1-lg (PIP5K1A antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated Beta Actin Monoclonal antibody (HRP-66009) as loading control. This data was developed using the same antibody clone with 67483-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 67483-1-Ig (PIP5K1A antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67483-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 67483-1-Ig (PIP5K1A antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67483-1-PBS in a different storage buffer formulation.



Various lysates were subjected to SDS PAGE followed by western blot with 67483-1-lg (PIP5K1A antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 67483-1-PBS in a different storage buffer formulation.