

For Research Use Only

# CDK5R1 Monoclonal antibody, PBS Only



Catalog Number: 67503-1-PBS

## Basic Information

<b>Catalog Number:</b> 67503-1-PBS	<b>GenBank Accession Number:</b> BC020580	<b>Purification Method:</b> Protein A purification
<b>Size:</b> 1 mg/ml	<b>GeneID (NCBI):</b> 8851	<b>CloneNo.:</b> 1A3A5
<b>Source:</b> Mouse	<b>UNIPROT ID:</b> Q15078	
<b>Isotype:</b> IgG2b	<b>Full Name:</b> cyclin-dependent kinase 5, regulatory subunit 1 (p35)	
<b>Immunogen Catalog Number:</b> AG13152	<b>Calculated MW:</b> 34 kDa	
	<b>Observed MW:</b> 34 kDa	

## Applications

**Tested Applications:**  
WB, Indirect ELISA, IHC

**Species Specificity:**  
Human, mouse, rat, pig, rabbit

## Background Information

Cyclin dependent kinase-5 (Cdk5), is an atypical but essential member of the Cdk family of proline-directed serine/threonine kinases. CDK5R1 encodes p35, a specific activator of the serine/threonine kinase CDK5, which plays a central role in neuronal migration and differentiation during central nervous system development. The p35 form of this protein is proteolytically cleaved by calpain, generating a p25 form.

## Storage

**Storage:**  
Store at -80°C.

**Storage Buffer:**  
PBS Only

For technical support and original validation data for this product please contact:


T: 4006900926

E: [Proteintech-CN@ptglab.com](mailto:Proteintech-CN@ptglab.com)


W: [ptgcn.com](http://ptgcn.com)

**This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.**


## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 67503-1-Ig (CDK5R1 antibody) at dilution of 1:15000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated Alpha Tubulin Monoclonal antibody (HRP-66031) as loading control. This data was developed using the same antibody clone with 67503-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffin-embedded mouse brain tissue slide using 67503-1-Ig (CDK5R1 antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67503-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffin-embedded mouse brain tissue slide using 67503-1-Ig (CDK5R1 antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67503-1-PBS in a different storage buffer formulation.



mouse cerebellum tissue were subjected to SDS PAGE followed by western blot with 67503-1-Ig (CDK5R1 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 67503-1-PBS in a different storage buffer formulation.