For Research Use Only

## ETV6 Monoclonal antibody, PBS Only

Catalog Number: 67579-1-PBS



**Purification Method:** 

Protein A purification

CloneNo.:

2A5A2

**Basic Information** 

Catalog Number: 67579-1-PBS

Size:

GenBank Accession Number:

BC043399

GeneID (NCBI):

2120

1 mg/ml 212 Source: UNI

UNIPROT ID: P41212

Mouse P4: Isotype: Ful

Isotype: Full Name: IgG1 ets variant 6

Immunogen Catalog Number: Calculated MW:

452 aa, 53 kDa

Observed MW:

60 kDa

**Applications** 

Tested Applications:

WB,IHC,ELISA

AG30054

Species Specificity:

Human

## **Background Information**

ETV6(ETS Variant Transcription Factor 6), also known as TEL, is a Protein Coding gene. ETV6 is a member of the ETS family of transcription factors encoded by the ETS variant 6 gene (ETV6), located on chromosome 12p13.2. ETV6 protein contains 3 domains: a) the pointed N-terminal (i.e. PNT) domain which forms oligomer partners with itself as well as other transcription factors (e.g. FLI1) and is required for ETV6's transcriptional repressing activity; b) the central regulatory domain; and c) the C-terminal DNA-binding domain(PMID: 22578774). ETV6 is highly expressed in early hematopoietic progenitor cells(HPCs) and is essential for hematopoiesis in the bone marrow(PMID: 31248877).

Storage

Storage:


Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C  $\,$ 


Storage Buffer:

PBS only


## **Selected Validation Data**



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 67579-1-1g (ETV6 antibody) at dilution of 1:100 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67579-1-PBS in a different storage buffer formulation.



Jurkat cells were subjected to SDS PAGE followed by western blot with 67579-1-1g (ETV6 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 67579-1-PBS in a different storage buffer formulation.



K-562 cells were subjected to SDS PAGE followed by western blot with 67579-1-1g (ETV6 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 67579-1-PBS in a different storage buffer formulation.