For Research Use Only

NF45 Monoclonal antibody

Catalog Number:67685-1-lg 2 Publications



Basic Information

Catalog Number: 67685-1-lg Size: 1000 µg/ml

Source: Mouse Isotype: lgG2b

Immunogen Catalog Number:

AG30388

GenBank Accession Number: BC000382

GeneID (NCBI): 3608 **UNIPROT ID:**

Full Name: interleukin enhancer binding factor 2, protein lysate 45kDa

Calculated MW: 43 kDa

Observed MW: 40 kDa

Q12905

Purification Method:

Protein A purification

CloneNo.: 1A3A2

Recommended Dilutions:

WB 1:5000-1:50000 IP 0.5-4.0 ug for 1.0-3.0 mg of total

IHC 1:1000-1:4000 IF/ICC 1:200-1:800

Applications

Tested Applications: IF/ICC, IHC, IP, WB, ELISA **Cited Applications:** WB, IF, CoIP

Species Specificity: Human, mouse, rat **Cited Species:** human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: MCF-7 cells, HeLa cells, A431 cells, HepG2 cells, MOLT-4 cells, Jurkat cells, HSC-T6 cells, PC-12 cells,

Sp2/0 cells IP: HeLa cells,

IHC: human colon cancer tissue, human breast cancer

IF/ICC: HepG2 cells,

Background Information

Interleukin-2 enhancer binding factor 2 (ILF2), also named as nuclear factor 45 (NF45), plays important roles in regulating interleukin-2 expression in mammals. It forms a heterodimeric complex with ILF3, which may regulate transcription of the IL2 gene during T-cell activation. It can also promote the formation of stable DNA-dependent protein kinase holoenzyme complexes on DNA [PMID:11739746,17129403].

Notable Publications

Author	Pubmed ID	Journal	Application
Zihan Xi	38238853	J Exp Clin Cancer Res	WB,CoIP
Yang Cao	37864796	Cell Rep	WB,IF,CoIP

Storage


Storage:

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 67685-1-1g (NF45 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.




IP result of anti-NF 45 (IP:67685-1-Ig, 4ug; Detection:67685-1-Ig 1:3000) with HeLa cells lysate 1320 ug.



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using NF45 antibody (67685-1-1g, Clone: 1A3A2) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 67685-1-1g (NF45 antibody) at dilution of 1:2000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 67685-1-lg (NF45 antibody) at dilution of 1:2000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).