For Research Use Only

## GALE Monoclonal antibody

Catalog Number:67772-1-Ig




Catalog Number: 67772-1-lg	GenBank Accession Number BC050685	: Purification Method: Protein A purification
Size: 1000 µg/ml	GenelD (NCBI): 2582	CloneNo.: 3F2C2
Source: Mouse	UNIPROT ID: Q14376	Recommended Dilutions: WB 1:5000-1:50000
lsotype: lgG2b	Full Name: UDP-galactose-4-epimerase	2
Immunogen Catalog Number: AG6571	Calculated MW: 38 kDa	
	Observed MW: 38 kDa	
Tested Applications:	Posit	tive Controls:
WB, ELISA <mark>Species Specificity:</mark> Human, Mouse, Rat, Pig, Rabbit	Species Specificity: K-562 cells, 475 cells, HEK-2931 cells, HELa cells, K-562 cells, 471 cells, rat liver tissue, pig liver tissue,	
the sugar epimerase family. UDP-g galactose during normal galactose	galactose 4-epimerase catalyzes metabolism. In humans, deficio	s the interconversion of UDP-glucose and UDP- encies in this enzyme lead to the complex
Storage: Store at -20°C. Stable for one year Storage Buffer:	after shipment.	
	67772-1-lg Size: 1000 μ g/ml Source: Mouse Isotype: IgG2b Immunogen Catalog Number: AG6571 Tested Applications: WB, ELISA Species Specificity: Human, Mouse, Rat, Pig, Rabbit GALE(Galactowaldenase) is also n the sugar epimerase family. UDP-g galactose during normal galactose disorder referred to as epimerase-o homodimer(PMID:8931134).	67772-1-lgBCOS0685Size:GeneID (NCBI):1000 μ g/ml2582Source:UNIPROT ID:MouseQ14376Isotype:Full Name:IgG2bUDP-galactose-4-epimeraseImmunogen Catalog Number:Calculated MW:AG657138 kDaObserved MW:38 kDaTested Applications:PosiWB, ELISAWB:Species Specificity:K-56Human, Mouse, Rat, Pig, RabbitrabbGALE(Galactowaldenase) is also named as UDP-glucose 4-epimerase catalyzegalactose during normal galactose metabolism. In humans, deficidisorder referred to as epimerase-deficiency galactosemia(PMID:8931134).

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 67772-1-1g (GALE antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.