## For Research Use Only

## TK1 Monoclonal antibody, PBS Only

Catalog Number: 67787-1-PBS



**Purification Method:** 

Protein A purification

CloneNo.:

1B1C2

**Basic Information** 

Catalog Number:

Size: 1 mg/ml

67787-1-PBS

BC007986 GeneID (NCBI): 7083

GenBank Accession Number:

Source: UNIPROT ID: Mouse P04183
Isotype: Full Name:

IgG2a thymidine kinase 1, soluble

Immunogen Catalog Number: Calculated MW:

AG8265 25 kDa

Observed MW: 25 kDa

**Applications** 

Tested Applications: WB,Indirect ELISA,IHC Species Specificity:

Human

**Background Information** 

TK1(Thymidine kinase, cytosolic) belongs to the thymidine kinase family and is a regulatory enzyme that can interchange between its dimeric and tetrameric forms, which have low and high catalytic efficiencies, respectively. TK1 is involved in DNA synthesis and an important proliferation marker(PMID:21178264).


Storage

T: 4006900926


Storage: Store at -80°C. Storage Buffer:

PBS Only


## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 67787-1-1g (TK1 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated Beta Actin Monoclonal antibody (HRP-66009) as loading control. This data was developed using the same antibody clone with 67787-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 67787-1-lg (TK1 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67787-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 67787-1-lg (TK1 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67787-1-PBS in a different storage buffer formulation.



Various lysates were subjected to SDS PAGE followed by western blot with 67787-1-lg (TK1 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control. This data was developed using the same antibody clone with 67787-1-PBS in a different storage buffer formulation.



Various lysates were subjected to SDS PAGE followed by western blot with 67787-1-lg (TK1 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control. This data was developed using the same antibody clone with 67787-1-PBS in a different storage buffer formulation.