For Research Use Only

IPO5 Monoclonal antibody, PBS Only

Catalog Number:67962-1-PBS





Basic Information	Catalog Number: 67962-1-PBS	GenBank Accession Number: BC001497	Purification Method: Protein A purification
	Size: 1 mg/ml	GenelD (NCBI): 3843	CloneNo.: 1E2B9
	Source: Mouse	UNIPROT ID: 000410	11209
	lsotype: lgG1	Full Name: importin 5	
	Immunogen Catalog Number: AG30955	Observed MW: 124 kDa	
Applications	Tested Applications: WB,Indirect ELISA,IHC,IF		
	Species Specificity: Human, Mouse, Rat		
Background Information	IPO5 is a member of the importin beta family. Structurally, the protein adopts the shape of a right-hand solenoid and is composed of 24 HEAT repeats. IPO5 facilitates cytoplasmic polyadenylation element-binding protein CPEB3 translocation by binding to the RRM1 motif of CPEB3 in neurons. NMDAR signaling increases RanBP1 expression and reduces the level of cytoplasmic GTP-bound Ran. These changes enhance CPEB3-IPO5 interaction, which consequently accelerates the nuclear import of CPEB3 and promotes its nuclear function.		
Storage	Storage: Store at -80°C. The product is shipped with ice pa Storage Buffer: PBS Only	cks. Upon receipt, store it immediatel	yat-80°C

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 67962-1-Ig (IPO5 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 67962-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (-20°C Methanol) fixed A431 cells using IPO5 antibody (67962-1-Ig, Clone: 1E2B9) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 67962-1-PBS in a different storage buffer formulation.

Various lysates were subjected to SDS PAGE followed by western blot with 67962-1-Ig (IPO5 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with Lamin B1 Monoclonal antibody (66095-1-Ig) as loading control. This data was developed using the same antibody clone with 67962-1-PBS in a different storage buffer formulation.