

For Research Use Only

DDAH2 Monoclonal antibody

Catalog Number: 68154-1-Ig



Basic Information

Catalog Number:

68154-1-Ig

Size:

1000 µg/ml

Source:

Mouse

Isotype:

IgG3

Immunogen Catalog Number:

AG7127

GenBank Accession Number:

BC001435

GeneID (NCBI):

23564

UNIPROT ID:

O95865

Full Name:

dimethylarginine
dimethylaminohydrolase 2

Calculated MW:

29 kDa

Observed MW:

30 kDa

Purification Method:

Protein A purification

CloneNo.:

1A10G3

Recommended Dilutions:

WB 1:5000-1:50000

Applications

Tested Applications:

WB, ELISA

Species Specificity:

Human, Rat, Mouse, Rabbit

Positive Controls:

WB: rabbit brain tissue, mouse retina tissue, rat colon tissue, rat brain tissue, mouse brain tissue

Background Information

The DDAH family of proteins is formed by two isoforms, DDAH-1 and DDAH-2, both of which utilize ADMA as their substrate and increase NOS activity. DDAH-2, also named as DDAH, G6A, NG30, is the most prevalent isoform in blood vessels and endothelium and is important for embryonic development. It has also been linked to other diseases, such as hypertension, cerebral hemorrhage, cardiac disease, and diabetes. In cultured human endothelial cells, DDAH-2 had been found only in the cytosol, but in the nuclei of rat vascular smooth muscle cells.

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 68154-1-Ig (DDAH2 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



mouse retina tissue were subjected to SDS PAGE followed by western blot with 68154-1-Ig (DDAH2 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



rat colon tissue were subjected to SDS PAGE followed by western blot with 68154-1-Ig (DDAH2 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.