For Research Use Only

## GPD2 Monoclonal antibody, PBS Only (Detector)

www.ptglab.com

Catalog Number: 68174-1-PBS

**Basic Information** 

Catalog Number: GenBank Accession Number:

BC019874

**Purification Method:** Protein G purification

68174-1-PBS Size:

GeneID (NCBI):

CloneNo.:

1mg/ml

2820

1C12E2

Source: Mouse

**UNIPROT ID:** P43304 Full Name:

Isotype: lgG1

glycerol-3-phosphate dehydrogenase

Immunogen Catalog Number:

2 (mitochondrial) Calculated MW:

AG11212

41 kDa, 81 kDa

**Applications** 

**Tested Applications:** 

WB, Cytometric bead array, Indirect ELISA

Species Specificity:

human, mouse, rat

## **Background Information**

 ${\sf GPD2} (Glycerol-3-phosphate\ dehydrogenase,\ mitochondrial)\ belongs\ to\ the\ {\sf FAD-dependent}\ glycerol-3-phosphate\ glycerol-3-phos$ dehydrogen as e family. It is phosphory lated only in capacitated hamster spermatozoa and is noncanonically an experimental content of the content of thelocalized in the acrosome and principal piece in human, mouse, rat, and hamster spermatozoa, though in somatic cells it is localized in the mitochondria. This noncanonical localization may imply a role of GPD2 in acrosome reaction and hyperactivation(PMID:19333995).

Storage

Storage:


Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C


Storage Buffer:

PBS Only


## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 68174-1-lg (GPD2 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 68174-1-PBS in a different storage buffer formulation.



HSC-T6 cells were subjected to SDS PAGE followed by western blot with 68174-1-1g (GPD2 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 68174-1-PBS in a different storage buffer formulation.



Various lysates were subjected to SDS PAGE followed by western blot with 68174-1-lg (GPD2 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 68174-1-PBS in a different storage buffer formulation.



Cytometric bead array standard curve of MP50432-1, GPD2 Monoclonal Matched Antibody Pair, PBS Only. Capture antibody: 68174-2-PBS. Detection antibody: 68174-1-PBS. Standard:Ag11212. Range: 0.391-200 ng/mL