For Research Use Only

CCDC94 Monoclonal antibody, PBS Only



Catalog Number:68324-1-PBS

Featured Product

Basic Information

Catalog Number:

GenBank Accession Number: BC000561

Purification Method:

68324-1-PBS

GeneID (NCBI):

Protein A purification

Size: 1mg/ml

55702 UNIPROT ID: CloneNo.: 1D1G9

Source: Mouse

Q9BW85 Full Name:

Isotype: IgG2a

coiled-coil domain containing 94

Immunogen Catalog Number:Calculated MW:AG13772323 aa, 37 kDa

323 aa, 37 kDa Observed MW:

40 kDa

Applications

Tested Applications:

WB, IF/ICC, Indirect ELISA

Species Specificity:

human, mouse, rat

Background Information

CCDC94, also known as YJU2, is a splicing factor, predicted to be involved in RNA splicing and negative regulation of DNA damage response, signal transduction by p53 class mediator. Part of U2-type catalytic step 1 spliceosome. And that it is required for pre-mRNA splicing both in vivo and in vitro. Yju2 acts in concert with an unidentified heat-resistant factor(s) in an ATP-independent manner to promote the first catalytic reaction of pre-mRNA splicing after Prp2-mediated structural rearrangement of the spliceosome. (PMID: 17515604)

Storage


Storage:


Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer: PBS Only


Selected Validation Data





Various lysates were subjected to SDS PAGE followed by western blot with 68324-1-lg (CCDC 94 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control. This data was developed using the same antibody clone with 68324-1-PBS in a different storage buffer formulation.

WB result of CCDC94 antibody (68324-1-lg; 1:10000; incubated at room temperature for 1.5 hours) with sh-Control and sh-CCDC94 transfected HeLa cells. This data was developed using the same antibody clone with 68324-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed A431 cells using CCDC94 antibody (68324-1-Ig, Clone: 1D1G9) at dilution of 1:1500 and Multi-rAb Coralite ® Plus 488-Goat Anti-Mouse Recombinant Secondary Antibody (H+L) (RGAM002), CL594-phalloidin (red). This data was developed using the same antibody clone with 68324-1-PBS in a different storage buffer formulation.