For Research Use Only

## RAB33A Monoclonal antibody

Catalog Number:68389-1-lg 1 Publications


Antibodies | ELISA kits | Proteins WWW.ptglab.com


| Basic Information      | Catalog Number:<br>68389-1-lg  | GenBank Accession Number:<br>BC009996                               |                       | Purification Method:<br>Protein G purification  |  |
|------------------------|--|---|-----------------------|---|--|
|                        | Size:  | GenelD (NC  | BI):                  | CloneNo.:   |  |
|                        | 1000 µg/ml   | 9363  |                       | 1C7F11  |  |
|                        | Source:<br>Mouse   | UNIPROT ID:<br>Q 14088<br>Full Name:<br>RAB33A, member RAS oncogene |                       | Recommended Dilutions:<br>WB 1:2000-1:10000<br>IF/ICC 1:200-1:800   |  |
|                        | Isotype:<br>IgG1<br>Immunogen Catalog Number:<br>AG33188   |   |                       |   |  |
|                        |  | family<br>Calculated MW:<br>27 kDa                                  |                       |   |  |
|                        |  | Z7 KDa  |                       |   |  |
| Applications           | Tested Applications:<br>WB, IF/ICC, ELISA  |   | Positive Controls:    |   |  |
|                        | Cited Applications:  |   |                       | WB : pig brain tissue, SH-SY5Y cells, rabbit brain tissue<br>rat brain tissue, mouse brain tissue<br>IF/ICC : Neuro-2a cells, |  |
|                        | IF<br>Species Specificity:<br>Human, rat, mouse, pig, rabbit<br>Cited Species:   |   | IF/ICC : Ne           |   |  |
| Background Information | mouse<br>Ras-related protein Rab-33A (RAB33A) is also named as RABS10, and belongs to the small GTPase superfamily and<br>the Rab family. RAB33A is an X-linked gene that is expressed in brain, lymphocytes, and normal melanocytes, bud<br>downregulated in melanoma cells. In the brain, RAB33A is present throughout the cortex, as well as in the<br>hippocampal CA fields (PMID:16810302). RAB33A is expressed in cells, including neurons, lymphocytes,<br>melanocytes and parotid acinar cells (PMID:16810302, PMID:25871792). In cultured rat hippocampal neurons,<br>RAB33A is localized to the Golgi apparatus and post-Golgi vesicles transported along axons (PMID:22972995).In<br>addition, RAB33A interacts with singar1/RUFY3, which suppresses the formation of surplus axons in cultured |   |                       |   |  |
|                        | hippocampal neurons (PMID:2173   | 7958, PMID:1743   | 9943).                |   |  |
|                        |  |   |                       |   |  |
| Notable Publications   | Author   | Pubmed ID   | Journal               | Application   |  |
| Notable Publications   |  | Pubmed ID<br>38830762   | Journal<br>J Neurosci | Application<br>IF   |  |

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data





Various lysates were subjected to SDS PAGE followed by western blot with 68389-1-1g (RAB33A antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control.

SH-SY5Y cells were subjected to SDS PAGE followed by western blot with 68389-1-1g (RAB33A antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (-20°C Ethanol) fixed Neuro-2a cells using RAB33A antibody (68389-1-Ig, Clone: 1C7F11) at dilution of 1:400 and CoraLite®488-Conjugated Goat Anti-Mouse IgG(H+L).