For Research Use Only

## G3BP2 Monoclonal antibody

Catalog Number:68580-1-lg




| Basic Information   | Catalog Number:<br>68580-1-Ig   | GenBank Accession Number:<br>BC011731  | Purification Method:<br>Protein G purification                                  |
|---|---|--|---|
|   | Size:<br>1000 µg/ml   | GenelD (NCBI):<br>9908   | CloneNo.:<br>2E5G3  |
|   | Source:<br>Mouse<br>Isotype:<br>IgG1<br>Immunogen Catalog Number:<br>AG9222   | UNIPROT ID:<br>Q9UN86<br>Full Name:<br>GTPase activating protein (SH3<br>domain) binding protein 2 | Recommended Dilutions:<br>WB 1:5000-1:50000<br>IF 1:400-1:1600                  |
|   |   |  |   |
|   |   | Observed MW:<br>54 kDa   |   |
|   |   | Applications   | Tested Applications:<br>IF/ICC, WB, ELISA<br>Species Specificity:<br>Human, rat |
| WB : HeLa cells, SCaBER cells, rat brain tissue, HCT 116<br>cells, HepG2 cells, A549 cells, HT-29 cells, K-562 cells,<br>MOLT-4 cells |   |  |   |
|   | IF : sodium arsenite treated HeLa cells,  |  |   |
| Background Informatio   | Stress granules (SGs) are cytoplasmic mRNA-protein condensates formed in response to cellular stressors, such as oxidative stress, ultraviolet radiation, and viral infection (1). The Ras-GTPase-activating protein-binding proteins (G3BPs), consisting of G3BP1 and G3BP2, are key nucleating factors essential for SG formation. They function to protect RNAs from harmful conditions. G3BP2 is mainly distributed in the cytoplasm and participates in the formation of stress granules, cell differentiation, proliferation, and signal transduction. Accumulating evidence has demonstrated that aberrant expression of G3BP2 contributes to cancer initiation and progression, such as high expression of G3BP2 increasing cell stemness, metastasis and chemoresistance in breast cancer. |  |   |
| Storage   | Storage:<br>Store at -20°C. Stable for one year<br>Storage Buffer:<br>PBS with 0.02% sodium azide and<br>Aliquoting is unnecessary for -20  | 1 50% glycerol pH 7.3.   |   |

 For technical support and original validation data for this product please contact:


 T: 4006900926
 E: Proteintech-CN@ptglab.com
 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## **Selected Validation Data**



Immunofluorescent analysis of (4% PFA) fixed sodium arsenite treated HeLa cells using G3BP2 antibody (68580-1-1g, Clone: 2E5G3) at dilution of 1:800 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L), CL594-phalloidin (red).



Various lysates were subjected to SDS PAGE followed by western blot with 68580-1-Ig (G3BP2 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control.