For Research Use Only

Integrin alpha-E Monoclonal antibody, PBS Only




Catalog Number:68893-3-PBS

Basic Information	Catalog Number: 68893-3-PBS	GenBank Accession Number: BC113436	Purification Method: Protein G Magarose purification
	Size: 1 mg/ml	GenelD (NCBI): 3682	CloneNo.: 4B6G6
	Source: Mouse	UNIPROT ID: P38570	
	Isotype: IgG1 Immunogen Catalog Number: AG27410	Full Name: integrin, alpha E (antigen CD103, human mucosal lymphocyte antigen 1; alpha polypeptide) Calculated MW: 1179 aa, 130 kDa	
Applications	Tested Applications: IF/ICC, FC, Indirect ELISA		
	Species Specificity: human		
Background Information	Integrin alpha-E (CD103) is a member of the integrin family, specifically the $\alpha E \beta 7$ heterodimer. It plays a crucial role in the immune system, particularly in the interaction between leukocytes and epithelial cells. Integrin alpha-(CD103) is a critical component of the immune system, particularly in the context of mucosal immunity. Its ability to bind to E-cadherin and regulate the production of IFN-I in cDCs during viral infections highlights its multifaceted role in immune regulation and disease prevention. (PMID: 33584680)		
Storage	Storage: Store at -80°C. The product is shipped with ice packs. Upon receipt, store it immediately at -80°C Storage Buffer: PBS Only		


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunofluorescent analysis of un-fixed 5 µg/mL PHA (3 days) treated human PBMCs using Integrin alpha-E antibody (68893-3-Ig, Clone: 486G6) at dilution of 1:1000 and Multi-rAb CoraLite® Plus 647-Goat Anti-Mouse Recombinant Secondary Antibody (H+L) (Cat.NO. RGAM005). This data was developed using the same antibody clone with 68893-3-PBS in a different storage buffer formulation.



1x10^6 untreated human PBMCs (left) and 5 µg/mL PHA (3 days) treated human PBMCs (right) were surface stained with 0.2 µ g Integrin Alpha-E Monoclonal Antibody (68893-3-Ig, Clone: 4B6G6) and CoraLite® Plus 647-Goat Anti-Mouse Recombinant Secondary Antibody (H+L) (Cat.NO.RGAM005). Cells were not fixed. This data was developed using the same antibody clone with 68893-3-PBS in a different storage buffer formulation.