## For Research Use Only


## Phospho-TAU (Thr231) Recombinant antibody, PBS Only Catalog Number:80101-7-PBS



Basic Information	Catalog Number: 80101-7-PBS	GenBank Accession Number: BC000558	Purification Method: Protein A purfication	
	Size: 1 mg/ml	GeneID (NCBI): 4137	CloneNo.: 240632B1	
	Source: Rabbit	UNIPROT ID: P10636		
	lsotype: IgG	Full Name: microtubule-associated protein tau		
		Calculated MW: 37-46, 79-81 kDa		
		Observed MW: 50-80 kDa		
Applications	Tested Applications: WB, ELISA			
	Species Specificity: human			
Background Information	Tau (tubulin-associated unit) is a microtubule-associated protein (also known as MAPT), expressed mainly in neurons of the central nervous system. Its primary function is to modulate microtubule dynamics for maintaining axonal cytoskeleton. The Tau protein has six isoforms produced from a single gene through alternative RNA splicing. Isoforms differ in number of inserts at the N-terminal half and the number of repeats at the C-terminal half (3 repeat-3R; 4 repeat-4R). Tau is hyperphosphorylated during aging and in age-related neurodegenerative diseases such as Alzheimer's disease (AD) and fronto-temporal dementia. Hyperphosphorylation of Tau leads to the formation of neurofibrillary tangles (NFT) in the neurons and glia cells, which is one of the hallmarks of AD.			
Storage	Storage: Store at -80°C. The product is shipped with i Storage Buffer: PBS Only	ice packs. Upon receipt, store it immediatel	.y at -80°C	

For technical support and original validation data for this product please contact: T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



Non-treated SH-SY5Y cells, phosphatase inhibitor treated SH-SY5Y cells and  $\lambda$  phosphatase treated SH-SY5Y cells were subjected to SDS PAGE followed by western blot with 80101-7-RR (Phospho-TAU (Thr231) antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours. The membrane was stripped and re-blotted with Alpha Tubulin (66031-1-lg) antibody as a loading control. This data was developed using the same antibody clone with 80101-7-

۰

•