## For Research Use Only

## GFAP Recombinant antibody

Catalog Number:81063-1-RR



**Purification Method:** 

Protein A purification

**Basic Information** 

Catalog Number: GenBank Accession Number: 81063-1-RR BC013596

 Size:
 GeneID (NCBI):
 CloneNo.:

 1000 μ g/ml
 2670
 4C6

Source:UNIPROT ID:Recommended Dilutions:RabbitP14136WB 1:5000-1:50000Isotype:Full Name:IHC 1:4950-1:19800IgGglial fibrillary acidic proteinIF 1:50-1:500

Immunogen Catalog Number: Calculated MW: AG10423 432 aa, 50 kDa

**Applications** 

Tested Applications: IF-P, IHC, WB, ELISA Species Specificity: Human, mouse, rat, pig

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

WB: U-251 cells, rat brain tissue, mouse brain tissue, pig brain tissue

**Positive Controls:** 

IHC: rat brain tissue,

IF: rat brain tissue, mouse brain tissue

buffer pH 6.0

**Background Information** 

GFAP (Glial fibrillary acidic protein), an intermediate-filament (IF) protein, is specifically expressed in cells of astroglial lineage and is widely used to mark astroglia in the brain. It is also used as a marker for intracranial and intraspinal tumors arising from astrocytes.

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## Selected Validation Data




U-251 cells were subjected to SDS PAGE followed by western blot with 81063-1-RR (GFAP antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded rat brain tissue slide using 81063-1-RR (GFAP antibody) at dilution of 1:9900 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded rat brain tissue slide using 81063-1-RR (GFAP antibody) at dilution of 1:9900 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunofluorescent analysis of (4% PFA) fixed rat brain tissue using GFAP antibody (81063-1-RR, Clone: 4C6) at dilution of 1:200 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Various lysates were subjected to SDS PAGE followed by western blot with 81063-1-RR (GFAP antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed mouse brain tissue using GFAP antibody (81063-1-RR, Clone: 4C6) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunofluorescent analysis of (4% PFA) fixed mouse brain tissue using GFAP antibody (81063-1-RR, Clone: 4C6) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).