For Research Use Only

DNMT3A Recombinant antibody

Size:

Catalog Number:81474-5-RR



Basic Information

Catalog Number: GenBank Accession Number: 81474-5-RR

BC043617 Protein A purfication GeneID (NCBI): CloneNo.:

1000 µg/ml 242257E1 **UNIPROT ID:** Recommended Dilutions: Source: Rabbit Q9Y6K1 WB 1:2000-1:10000

Full Name: Isotype:

DNA (cytosine-5-)-methyltransferase

1788

3 alpha Immunogen Catalog Number:

AG15111 Calculated MW:

912 aa, 102 kDa Observed MW: 130 kDa

Applications

Tested Applications:

WB, ELISA

Species Specificity: human, mouse, rat

Positive Controls:

WB: Jurkat cells, rat testis tissue, MCF-7 cells, HEK-293

Purification Method:

cells, NIH/3T3 cells

Background Information

 $DNA\ methylation\ in\ vertebrate\ animals\ is\ an\ epigenetic\ modification\ that\ is\ important\ for\ embryonic\ development,$ imprinting, and the inactivation of X chromosomes. DNA methylation is catalyzed by a family of DNA methyltransferases (DNMTs) that include the maintenance enzyme DNMT1 and de novo methyltransferases DNMT3a and DNMT3b. The overexpression of DNMT1, DNMT3a, and DNMT3b has been reported in various malignancies, including gastric, urothelial, and lung cancers, and may be related to tumorigenesis, tumor progression, and poor survival. Two isoforms of DNMT3a exist: the full-length DNMT3a, and the shorter form DNMT3a2 which lacks the Nterminal fragment. DNMT3a is expressed ubiquitously at low levels, while DNMT3a2 is specially expressed at high levels in embryonic stem cells and shows restricted expression in tissues known to undergo de novo methylation including testis and ovary. This antibody was raised against the N-terminal region of human DNMT3a. It is expected to detect the 120-130 kDa DNMT3a but not 72-100 kDa DNMT3a2.

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 81474-5-RR (DNMT3A antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



rat testis tissue were subjected to SDS PAGE followed by western blot with 81474-5-RR (DNMT3A antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Biolayer interferometry (BLI) kinetic assays of 81474-5-RR against Human DNMT3A were performed. The affinity constant is below 1 pM.