For Research Use Only

RBM17 Recombinant antibody, PBS Only



Catalog Number:82889-2-PBS

Basic Information

Catalog Number:

GenBank Accession Number: BC007871

Purification Method:

82889-2-PBS

GeneID (NCBI):

Protein A purification

Size: 1mg/ml

Gener (NCBI): 84991

CloneNo.: 230125A10

Source: Rabbit UNIPROT ID: Q96125 Full Name:

Isotype: IgG

RNA binding motif protein 17

Immunogen Catalog Number:

AG0985

Calculated MW: 45 kDa

Applications

Tested Applications:

IHC, IF/ICC, IP, Indirect ELISA

Species Specificity:

human

Background Information

RNA-binding motif protein 17 (RBM17), also named splicing factor 45, was first identified as a member of the spliceosome. RBM17 expression is low in normal tissues but is overexpressed in several forms of cancer, including breast, ovarian and prostate.

Storage


Storage:

Store at -80°C.


The product is shipped with ice packs. Upon receipt, store it immediately at -80°C $\,$

Storage Buffer: PBS Only


Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using RBM17 antibody (82889-2-RR, Clone: 230125A10) at dilution of 1:300 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit 1gG(H+L) (SA00013-2), CL594-Phalloidin (red). This data was developed using the same antibody clone with 82889-2-PBS in a different storage buffer formulation.




1x10^6 A431 cells were intracellularly stained with 0.5 ug Anti-Human RBM17 (82889-2-RR, Clone:230125A10) and APC-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) at dilution 1:166 (red), or 0.5 ug Rabbit IgG control Rabbit PolyAb (30000-0-AP, Clone:) (blue). Cells were fixed and permeabilized with True-Nuclear Transcription Factor Buffer Set. This data was developed using the same antibody clone with 82889-2-PBS in a different storage buffer




Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 82889-2-RR (RBM17 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 82889-2-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 82889-2-RR (RBM17 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 82889-2-PBS in a different storage buffer formulation.



IP result of anti-RBM17 (IP:82889-2-RR, 4ug; Detection:82889-2-RR 1:10000) with MCF-7 cells lysate 1470 ug. This data was developed using the same antibody clone with 82889-2-PBS in a different storage buffer formulation.



Biolayer interferometry (BLL) kinetic assays of 82889-2-RR against Human RBM17 were performed. The affinity constant is 2.86 nM.