

For Research Use Only

NSUN2 Recombinant antibody

Catalog Number: 82894-2-RR **Featured Product**



Basic Information

Catalog Number:

82894-2-RR

Size:

1000 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG14791

GenBank Accession Number:

BC001041

GeneID (NCBI):

54888

UNIPROT ID:

Q08J23

Full Name:

NOL1/NOP2/Sun domain family,
member 2

Calculated MW:

767 aa, 86 kDa

Observed MW:

90-100 kDa

Purification Method:

Protein A purification

CloneNo.:

230186G2

Recommended Dilutions:

WB 1:2000-1:10000

IF 1:150-1:600

Applications

Tested Applications:

WB, IF/ICC, ELISA

Species Specificity:

Human

Positive Controls:

WB : HeLa cells, HepG2 cells, HEK-293 cells, Jurkat cells, HT-1080 cells

IF : HepG2 cells,

Background Information

NSUN2, also known as SAK1 or Misu (Myc-induced SUN-domain-containing protein), is a methyltransferase which catalyses (cytosine-5-)-methylation of tRNA. NSUN2 is direct target gene of c-Myc and may act downstream of Myc to regulate epidermal cell growth and proliferation. NSUN2 is overexpressed in various cancer tissues and may be a valuable target for cancer therapy and a cancer diagnostic marker. Recently a splicing mutation in NSUN2 has been identified as the cause of a Dubowitz-like syndrome, an autosomal recessive disorder.

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 82894-2-RR (NSUN2 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



WB result of NSUN2 antibody (82894-2-RR; 1:3000; incubated at room temperature for 1.5 hours) with sh-Control and sh-NSUN2 transfected HeLa cells.



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using NSUN2 antibody (82894-2-RR, Clone: 230186G2) at dilution of 1:300 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).