For Research Use Only

PARK7/DJ-1 Recombinant antibody

Catalog Number:82913-2-RR




Basic Information	Catalog Number: 82913-2-RR	GenBank Accession Number: BC008188	Purification Method: Protein A purification
	Size: 1000 µg/ml	Genel D (NCBI): 11315	CloneNo.: 230124B7
	Source: Rabbit	UNIPROT ID: Q99497	Recommended Dilutions: WB 1:2000-1:10000
	lsotype: lgG Immunogen Catalog Number: AG2287	Full Name: Parkinson disease (autosomal recessive, early onset) 7	
		Calculated MW: 189 aa, 20 kDa	
		Observed MW: 25 kDa	
Applications	Tested Applications: WB, ELISA Species Specificity: Human, mouse, rat	Positive	Controls:
			WB : HeLa cells, HEK-293 cells, BxPC-3 cells, Jurkat cells, HSC-T6 cells, mouse brain tissue, rat brain tissu
Background Information	PARK7, also named as DJ1, belongs to the peptidase C56 family. It protects cells against oxidative stress and cell death. PARK7 plays a role in regulating expression or stability of the mitochondrial uncoupling proteins SLC25A14 and SLC25A27 in dopaminergic neurons of the substantia nigra pars compacta and attenuates the oxidative stress induced by calcium entry into the neurons via L-type channels during pacemaking. It eliminates hydrogen peroxide and protects cells against hydrogen peroxide-induced cell death. PARK7 has cell-growth promoting activity and transforming activity. It may function as a redox-sensitive chaperone. It's precursor undergoes a cleavage of a C-terminal peptide and subsequent activation of protease activity in response to oxidative stress. The amino acid replace at 166 (L \rightarrow P) reduces PARK7 protein stability and leads to increased degradation. The predicted MW of this protein is 20 kDa, An additional 25 kDa band can be observed due to modification (PMID: 31767755).		
Storage	Storage: Store at -20°C. Stable for one year Storage Buffer: PBS with 0.02% sodium azide and Aliguoting is unnecessary for -20°	50% glycerol pH 7.3.	


 For technical support and original validation data for this product please contact:

 T: 4006900926
 E: Proteintech-CN@ptglab.com
 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





Various lysates were subjected to SDS PAGE followed by western blot with 82913-2-RR (PARK7/DJ-1 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. Biolayer interferometry (BLL) kinetic assays of 82913-2-RR against Human PARK7/DJ-1 were performed. The affinity constant is 7.89 nM.