For Research Use Only

RORA Recombinant antibody

Catalog Number:82930-1-RR



Basic Information

Catalog Number: GenBank Accession Number:

 82930-1-RR
 BC008831

 Size:
 GeneID (NCBI):

 300 μg/ml
 6095

 Source:
 UNIPROT ID:

 Rabbit
 P35398

Isotype: Full Name:
IgG RAR-related orphan receptor A

Immunogen Catalog Number: Calculated MW: AG0944 59 kDa

Observed MW: 60-66 kDa Purification Method:

Protein A purification CloneNo.:

230217G6 Recommended Dilutions: WB 1:500-1:3000

WB 1:500-1:3000 IHC 1:50-1:500 IF 1:150-1:600

Applications

Tested Applications: WB, IF/ICC, FC, IHC, ELISA

Species Specificity: Human, Rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: A549 cells, HepG2 cells, L02 cells, HuH-7 cells, PC-

3 cells

IHC: rat cerebellum tissue,

IF: HepG2 cells,

Background Information

RORA is a steroid hormone receptor and has been implicated in the pathology of circadian rhythms, bone growth, angiogenesis, development of cones, cellular metabolism and a mediator in the immune and lipid metabolism pathways [PMID:21998696]. It binds DNA as a monomer to hormone response elements (HRE) containing a single core motif half-site preceded by a short A-T-rich sequence, which binds to the consensus sequence 5'-[AT][TA]A[AT] [CGT]TAGGTCA-3'. Regulates a number of genes involved in lipid metabolism such as apolipoproteins AI, APOA5, CIII, CYP71 and PPAR gamma, in cerebellum and photoreceptor development including PCP2, OPN1SW, OPN1SM and ARR3, in circadian rhythm with BMAL1, and skeletal muscle development with MYOD1 [PMID:11053433,14570920].

Storage


Storage:

Store at -20°C. Stable for one year after shipment. Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 82930-1-RR (RORA antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using RORA antibody (82930-1-RR, Clone: 230217G6) at dilution of 1:300 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red).



Immunohistochemical analysis of paraffinembedded rat cerebellum tissue slide using 82930-1-RR (RORA antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



1x10^6 HeLa cells were intracellularly stained with 0.4 ug RORA Recombinant antibody (82930-1-RR, Clone:230217G6) and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2) (red), or 0.4 ug Isotype Control (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).