

For Research Use Only

TIP60/KAT5 Recombinant antibody

Catalog Number: 82937-1-RR



Basic Information

Catalog Number: 82937-1-RR	GenBank Accession Number: BC000166	Purification Method: Protein A purification
Size: 1000 µg/ml	GeneID (NCBI): 10524	CloneNo.: 230181D5
Source: Rabbit	UNIPROT ID: Q92993	Recommended Dilutions: IF 1:200-1:800
Isotype: IgG	Full Name: K(lysine) acetyltransferase 5	
Immunogen Catalog Number: AG1261	Calculated MW: 60 kDa	

Applications

Tested Applications: FC, IF/ICC, ELISA	Positive Controls: IF : HepG2 cells,
Species Specificity: Human	

Background Information

KAT5, also named as The histone acetyltransferase (HAT) Tat interactive protein 60 kD belongs to the MYST protein family that contains atypical zinc finger and histone acetyltransferase domains. Also, KAT5 contains a chromodomain. KAT5 is a catalytic subunit of the NuA4 histone acetyltransferase complex. The NuA4 HAT complex plays a role in transcriptional activation of select genes mainly by acetylation of nucleosomal histone H4 and H2A, which influence nucleosome-DNA interaction and promotes interaction of the modified histones with other proteins that could regulate transcription positively. This complex also involves in the activation of transcriptional programs associated with oncogene and proto-oncogene mediated growth induction, tumor suppressor mediated growth arrest and replicative senescence, DNA repair and apoptosis.

Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using KAT5 antibody (82937-1-RR, Clone: 230181D5) at dilution of 1:400 and CoraLite@488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).



1x10⁶ HCT 116 cells were intracellularly stained with 0.25 ug Anti-Human KAT5 (82937-1-RR, Clone:230181D5) and APC-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)(red), or 0.25 ug Rabbit IgG control Rabbit PolyAb (30000-0-AP) (blue). Cells were fixed and permeabilized with True-Nuclear Transcription Factor Buffer Set.