For Research Use Only

## IL-12/IL-23 p40 Recombinant antibody

Catalog Number:83008-1-RR



**Basic Information** 

Catalog Number:

GenBank Accession Number:

**Purification Method:** 

83008-1-RR

BC067498

Protein A purification

Size:

GeneID (NCBI):

CloneNo.:

1000 µg/ml

240008F4

Source: Rabbit

**UNIPROT ID:** P29460

Recommended Dilutions:

Isotype:

Full Name:

WB 1:1000-1:4000

interleukin 12B (natural killer cell stimulatory factor 2, cytotoxic

lymphocyte maturation factor 2, p40)

Calculated MW: 328 aa, 37 kDa

**Applications** 

**Tested Applications:** 

WB, ELISA

**Positive Controls:** 

Species Specificity:

human

WB: Recombinant protein,

## **Background Information**

Interleukin (IL)-12 and IL-23 are heterodimeric cytokines that share a common p40 subunit (PMID: 11114383). IL-12 is composed of the IL-12 p40 subunit linked to the IL-12 p35 subunit, and the heterodimer signals through the IL-12 receptor (IL-12R), which comprises the IL-12R β 1 and IL-12R β 2 subunits. IL-23 is composed of the IL-23 p19 subunit and the IL-12 p40 (IL-12/23p40) subunit, which signals through IL-23R and IL-12R \$ 1 (PMID: 11114383; 26121196). IL-12/IL-23 p40 also exists as a monomer and as a homodimer which can act as a potent IL-12 antagonist (PMID: 8958912; 18783467). IL-12/IL-23 p40 is produced by antigen-presenting cells, such as dendritic cells (DCs), monocytes, macrophages, neutrophils and, to a lesser extent, B cells (PMID: 20476918).

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

## Selected Validation Data



Human IL12B recombinant protein(Eg0431)was subjected to SDS PAGE followed by western blot with 83008-1-RR (IL-12/IL-23 p40 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.