For Research Use Only

PTPN18 Recombinant antibody, PBS Only




Catalog Number:83024-1-PBS

	BC052800	Protein A purification	
Size: 1mg/ml	GenelD (NCBI): 26469	CloneNo.: 230154G8	
Source: Rabbit	UNIPROT ID: Q99952		
Isotype: IgG Immunogen Catalog Number:	Full Name: protein tyrosine phosphatase, nor receptor type 18 (brain-derived)	1-	
AG34048	Calculated MW: 460 aa, 50 kDa		
	Observed MW: 48 kDa		
Tested Applications: WB, FC (Intra), Indirect ELISA Species Specificity:			
PTPN18 (also called PTP-HSCF or reported to be a tumor suppressor	in breast cancer by dephosphorylating	HER2 and suppressing cell proliferation and	
	and CSK cooperate to inhibit the events triggered by SRC kinases. (PMID: 35982039)		
Storage: Store at -80°C. The product is shipped with ice pa Storage Buffer: PBS Only	cks. Upon receipt, store it immediately	y at -80°C	
	Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG34048 Tested Applications: WB, FC (Intra), Indirect ELISA Species Specificity: human PTPN18 (also called PTP-HSCF or 1 reported to be a tumor suppressor invasion. In addition to the well-e and CSK cooperate to inhibit the e Storage: Storage: Storage at -80°C. The product is shipped with ice participations of the storage o	Source: UNIPROT ID: Rabbit Q99952 Isotype: Full Name: IgG protein tyrosine phosphatase, nor Immunogen Catalog Number: AG34048 AG34048 Calculated MW: 460 aa, 50 kDa Observed MW: 48 kDa Observed MW: 48 kDa VMPROT ID: PTPN18 (also called PTP-HSCF or BDP1), a member of the protein tyrosing invasion. In addition to the well-established role of PTPN18 in breast ca and CSK cooperate to inhibit the events triggered by SRC kinases. (PMID Storage: Storage: Storage Muthic is shipped with ice packs. Upon receipt, store it immediately storage Buffer:	

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 83024-1-RR (PTPN18 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 83024-1-PBS in a different storage buffer formulation. 1x10^6 HEK-293 cells were intracellularly stained with 0.25 ug PTPN18 Recombinant antibody (83024-1-RR, Clone:230154G8) and CoraLite@488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2)(red), or 0.25 ug Rabbit IgG Isotype Control Recombinant Antibody (98136-1-RR, Clone: 240953C9) (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011). This data was developed using the same antibody clone with 83024-1-PBS in a

10



Biolayer interferometry (BLL) kinetic assays of 83024-1-RR against Human PTPN18 were performed. The affinity constant is 7.48 nM.