For Research Use Only

DDX39A Recombinant antibody, PBS **proteintech**® Only


Antibodies | ELISA kits | Proteins www.ptglab.com

Catalog Number:83083-5-PBS


Basic Information	Catalog Number: 83083-5-PBS	GenBank Accession Number: BC032128	Purification Method: Protein A purification
	Size: 1mg/ml	GenelD (NCBI): 10212	CloneNo.: 230375F9
	Source: Rabbit	UNIPROT ID: O00148	
	Isotype: IgG Immunogen Catalog Number: AG2311	Full Name: DEAD (Asp-Glu-Ala-Asp) box polypeptide 39	
		Calculated MW: 427 aa, 49 kDa	
		Observed MW: 50 kDa	
Applications	Tested Applications: WB, IHC, IF/ICC, Indirect ELISA		
	Species Specificity: human, mouse		
Background Information	DDX39A, also named the BAT1 protein, contains the nine conserved motifs that characterize the DEAD-box family of RNA-binding proteins. The family includes proteins found in all eukaryotic cell types, with considerable divergence in the sequences lying between the conserved motifs. Some of the motifs were known before the definition of the family and are responsible for binding to mRNA or ATP, or possess ATPase activity. Phylogenetic analyses have grouped BAT1 with the defining member of the DEAD-box family, eIF-4. This is a translation initiation factor required for the dissociation of stem/loop structures in mRNA at the ribosomes.		
Storage	Storage: Store at -80°C. The product is shipped with ice pa Storage Buffer: PBS Only	icks. Upon receipt, store it immediatel	.y at -80°C

For technical support and original validation data for this product please contact: E: Proteintech-CN@ptglab.com T: 4006900926 W: ptgcn.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 83083-5-RR (DDX39 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 83083-5-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded mouse kidney tissue slide using 83083-5-RR (DDX39A antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 83083-5-PBS in a different storage buffer formulation.

100


80

60


40

20

Relitive Cell Number



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using DDX39 antibody (83083-5-RR, Clone: 230375F9) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L) (SA00013-1), CL594-Phalloidin (red). This data was developed using the same antibody clone with 83083-5-PBS in a different storage buffer formulation.




Various lysates were subjected to SDS PAGE followed by western blot with 83083-5-RR (DDX39A antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 83083-5-PBS in a different storage buffer formulation.

1x10^6 Jurkat cells were intracellularly stained with 0.25 ug Anti-Human DDX39A (83083-5-RR, Clone:230375F9) and APC-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)(red), or 0.25 ug Rabbit IgG control Rabbit PolyAb (30000-0-AP) (blue). Cells were fixed and permeabilized with True-Nuclear Transcription Factor Buffer Set. This data was developed using the same antibody clone with 83083-5-PBS in a different storage buffer formulation.

10⁵ 10⁶ 10

83083-5-RR(DDX39),APC-H



Biolayer interferometry (BLl) kinetic assays of 83083-5-RR against Human DDX39A were performed. The affinity constant is below 1 pM.