## For Research Use Only

## Lipocalin-2/Ngal Recombinant antibody




Catalog Number:83102-1-RR

Basic Information	Catalog Number: 83102-1-RR	GenBank Accession Number: NM_008491.1	Purification Method: Protein A purification				
	Size: 1000 µg/ml	GeneID (NCBI): 16819	CloneNo.: 230372D6				
	Source: Rabbit Isotype: IgG	UNIPROT ID: P11672 Full Name: lipocalin 2 Calculated MW: 23KD	Recommended Dilutions: WB 1:2000-1:10000 IHC 1:200-1:800				
				Observed MW: 25 kDa			
				Applications	Tested Applications: WB, IHC, ELISA		Positive Controls: WB : mouse lung tissue, mouse uterus tissue IHC : mouse spleen tissue, mouse lung tissue
		Species Specificity: mouse					
Note-IHC: suggested antige TE buffer pH 9.0; (*) Altern retrieval may be performed buffer pH 6.0	atively, antigen						
Background Information	Neutrophil gelatinase-associated lipocalin (NGAL, also known as lipocalin-2, siderocalin, or LCN2) is a small molecule of almost 25 kDa that belongs to the well-defined superfamily of proteins called lipocalins. NGAL was initially found in activated neutrophils, under its role as an innate antibacterial factor. However, it subsequently was shown that many other types of cells, including in the kidney tubule, may produce NGAL in response to various injuries. NGAL may become one of the most promising next-generation biomarkers in clinical nephrology and beyond. This antibody recognizes mouse Ngal.						
Storage	Storage: Store at -20°C. Stable for one year Storage Buffer: PBS with 0.02% sodium azide and Aliquoting is unnecessary for -20 <sup>0</sup>	1 50% glycerol pH 7.3.					


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 83102-1-RR (Lipocalin-2/Ngal antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse spleen tissue slide using 83102-1-RR (Lipocalin-2/Ngal antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse spleen tissue slide using 83102-1-RR (Lipocalin-2/Ngal antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Biolayer interferometry (BLI) kinetic assays of 83102-1-RR against Mouse Lipocalin-2/Ngal were performed. The affinity constant is below 1 pM.