

For Research Use Only

DDX19A Recombinant antibody

Catalog Number: 83106-1-RR



Basic Information

Catalog Number:

83106-1-RR

Size:

1000 µg/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG7362

GenBank Accession Number:

BC005162

GeneID (NCBI):

55308

UNIPROT ID:

Q9NUU7

Full Name:

DEAD (Asp-Glu-Ala-As) box polypeptide 19A

Calculated MW:

54 kDa

Observed MW:

54 kDa

Purification Method:

Protein A purification

CloneNo.:

230232B12

Recommended Dilutions:

WB 1:2000-1:10000

Applications

Tested Applications:

WB, FC (Intra), ELISA

Species Specificity:

human, mouse

Positive Controls:

WB : HEK-293 cells, HeLa cells, K-562 cells, HepG2 cells, mouse thymus tissue

Background Information

DDX19A, also known as DDX19L, belongs to the DEAD-box helicase family. DDX19A was identified as a novel cytosolic RNA sensor that could activate the NLRP3 inflammasome during virus infection. In addition, DDX19A was proven to be associated with NADPH oxidase 1 (NOX1)-mediated oxidative stress in tumor necrosis factor (TNF)- α -induced A549 cell (PMID: 33968728). It may represent biomarkers of metastasis and novel therapeutic targets in CSCC patients.

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 83106-1-RR (DDX19A antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



1×10^6 U2OS cells were intracellularly stained with 0.25 μ g DDX19A Recombinant antibody (83106-1-RR, Clone:230232B12) and APC-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (red), or 0.25 μ g Isotype Control (blue). Cells were fixed and permeabilized with True-Nuclear Transcription Factor Buffer Set.