For Research Use Only

CEACAM6/CD66c Recombinant antibody

Catalog Number:83203-5-RR



Purification Method:

Protein A purfication

WB: 1:2000-1:14000

Recommended Dilutions:

CloneNo.:

230475D5

Basic Information

Catalog Number: 83203-5-RR Concentration: 700 ug/ml

Source: Rabbit Isotype:

Immunogen Catalog Number:

EG0056

GenBank Accession Number:

BC005008 GeneID (NCBI): 4680 **UNIPROT ID:** P40199 Full Name:

carcinoembryonic antigen-related cell adhesion molecule 6 (nonspecific cross reacting antigen)

Calculated MW: 37 kDa Observed MW: 40-100 kDa

Positive Controls:

WB: A549 cells, HT-29 cells

Applications

Tested Applications: WB, ELISA Species Specificity:

human

Background Information

 ${\sf CEACAM6}, also known as \, {\sf CD66c}, is \, a \, gly cosylphosphatidy linesitol \, {\sf (GPI)-linked} \, cell \, surface \, protein \, that \, belongs \, to \, {\sf CPI-linked} \, cell \, surface \, protein \, that \, belongs \, to \, {\sf CPI-linked} \, cell \, surface \, protein \, that \, belongs \, to \, {\sf CPI-linked} \, cell \, surface \, protein \, that \, belongs \, to \, {\sf CPI-linked} \, cell \, surface \, protein \, that \, belongs \, to \, {\sf CPI-linked} \, cell \, surface \, protein \, that \, belongs \, to \, {\sf CPI-linked} \, cell \, surface \, protein \, that \, belongs \, to \, {\sf CPI-linked} \, cell \, surface \, protein \, that \, {\sf CPI-linked} \, ce$ the CEACAM family of the immunoglobulin superfamily (PMID: 23903773). It is normally expressed on the surface of myeloid and epithelial surfaces and upregulated preferentially at the apical/luminal membranes of many tumors (PMID: 27595061; 35082925). CEACAM6 plays an important role in cell adhesion, proliferation, tumorigenesis, metastasis, and immunity (PMID: 31797958).

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 83203-5-RR (CEACAM6 antibody) at dilution of 1:7000 incubated at room temperature for 1.5 hours.



Biolayer interferometry (BLL) kinetic assays of 83203-5-RR against Human CEACAM6 were performed. The affinity constant is 0.113 nM.