For Research Use Only

## TDO2 Recombinant antibody

Catalog Number:83236-2-RR





Basic Information	Catalog Number: 83236-2-RR	GenBank Accession Number: BC005355	Purification Method: Protein A purification	
	Size: 1000 μg/ml	GenelD (NCBI): 6999	CloneNo.: 240068C2	
	Source: Rabbit	UNIPROT ID: P48775	Recommended Dilutions: WB 1:5000-1:50000	
	Isotype: IgG	Full Name: tryptophan 2,3-dioxygenase		
	Immunogen Catalog Number: AG8531	Calculated MW: 406 aa, 48 kDa		
		Observed MW: 40-50 kDa		
Applications	Tested Applications: WB. ELISA	WB : rat liver tissue,		
	Species Specificity: rat			
Background Information	catalyze the amino acid tryptopha plays an important role in neurolo Overexpression of TDO2 promote triple negative breast cancer, brai	TDO2 (tryptophan 2,3-dioxygenase), IDO1 (indoleamine 2,3-dioxygenase 1) and IDO2 are three enzymes that catalyze the amino acid tryptophan into kynurenine in the kynurenine pathway (PMID: 23090118, 28469468). TDO2 plays an important role in neurological diseases such as Alzheimer's disease, Parkinson's disease and autism. Overexpression of TDO2 promoted tumor cell survival and was correlated with tumor grade and poor prognosis in triple negative breast cancer, brain tumors and esophageal squamous cell carcinoma. TDO2 may be a potential therapeutic target in some cancers. (PMID: 21976023, 30134247)		
Storage	Storage: Store at -20°C. Stable for one year Storage Buffer: PBS with 0.02% sodium azide and Aliquoting is unnecessary for -20°	l 50% glycerol pH 7.3.		

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





rat liver tissue were subjected to SDS PAGE followed by western blot with 83236-2-RR (TDO2 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. Biolayer interferometry (BLI) kinetic assays of 83236-2-RR against Human TDO2 were performed. The affinity constant is below 1 pM.