For Research Use Only

## GPC1 Recombinant antibody

Catalog Number:83318-4-RR




Basic Information	Catalog Number: 83318-4-RR	GenBank Accession Number: BC051279	Purification Method: Protein A purification
	Size: 700 µg/ml	GeneID (NCBI): 2817	CloneNo.: 240207G5
	Source: Rabbit	UNIPROT ID: P35052	Recommended Dilutions: WB 1:500-1:2000
	lsotype: IgG	Full Name: glypican 1	
		Calculated MW: 558 aa, 62 kDa	
		Observed MW: 61-65 kDa	
Applications	Tested Applications: WB, ELISA	WB : HepG2 cells,	
	Species Specificity: Human		
Background Information	Glypicans are a family of HSPGs that are attached to the cell membrane by a glycosyl-phosphatidylinositol anchor. Glypicans are considered to have the ability to modulate the activities of HBGFs. The expression of glypicans is regulated temporally and spatially during development, suggesting they are involved in development and morphogenesis. To date, six glypicans (GPC1 to GPC6) have been identified in mammals. GPC1 is most ubiquitously expressed in adult tissues. GPC1 promotes efficient signaling by HBGFs and plays a critical role in cell growth and differentiation. GPC1 is involved in tumorigenesis and angiogenesis, and is frequently overexpressed in several types of tumors including pancreatic carcinoma, breast cancer and glioma.		
Storage	Storage: Store at -20°C. Stable for one year after shipment. Storage Buffer: PBS with 0.02% sodium azide and 50% glycerol pH 7.3. Aliquoting is unnecessary for -20°C storage		


 For technical support and original validation data for this product please contact:

 T: 4006900926
 E: Proteintech-CN@ptglab.com
 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





HepG2 cells were subjected to SDS PAGE followed by western blot with 83318-4-RR (GPC1 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours. Biolayer interferometry (BLL) kinetic assays of 83318-4-RR against Human GPC 1 were performed. The affinity constant is 3.58 nM.