

For Research Use Only

# IGFBP1 Recombinant antibody

Catalog Number: 83347-5-RR



## Basic Information

<b>Catalog Number:</b> 83347-5-RR	<b>GenBank Accession Number:</b> NM_000596.4	<b>Purification Method:</b> Protein A purification
<b>Size:</b> 1000 µg/ml	<b>GeneID (NCBI):</b> 3484	<b>CloneNo.:</b> 240263B9
<b>Source:</b> Rabbit	<b>UNIPROT ID:</b> P08833	<b>Recommended Dilutions:</b> WB 1:1000-1:6000
<b>Isotype:</b> IgG	<b>Full Name:</b> IGF binding protein 1	
	<b>Calculated MW:</b> 28 kDa	
	<b>Observed MW:</b> 28-35 kDa	

## Applications

<b>Tested Applications:</b> WB, ELISA	<b>Positive Controls:</b> WB : HepG2 cells,
<b>Species Specificity:</b> human	

## Background Information

IGF-binding proteins (IGFBPs) family contains members like IGFBP-1, -2, -3, -4, -5 and -6. IGFBPs prolong the half-life of the IGFs and have been shown to either inhibit or stimulate the growth promoting effects of the IGFs on cell culture. They alter the interaction of IGFs with their cell surface receptors. IGF-I physically interacts with IGFBP-1 and that IGFBP-1 also binds to an integrin receptor, but the effect of IGFBP-1 on cell migration may be independent of IGF-I and is probably mediated through the alpha 5 beta 1 integrin. Transgenic mice models demonstrated that IGFBPs played important roles in the pathogenesis of obesity and INS resistance. Studies conducted in humans demonstrated the close relation between IGFBPs and the components of the metabolic syndrome.

## Storage

**Storage:**  
Store at -20°C. Stable for one year after shipment.  
**Storage Buffer:**  
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.  
Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: [Proteintech-CN@ptglab.com](mailto:Proteintech-CN@ptglab.com)


W: [ptgcn.com](http://ptgcn.com)

**This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.**

## Selected Validation Data



HepG2 cells were subjected to SDS PAGE followed by western blot with 83347-5-RR (IGFBP1 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Biolayer interferometry (BLI) kinetic assays of 83347-5-RR against Human IGFBP1 were performed. The affinity constant is 40.6 nM.