## For Research Use Only

## RPS11 Recombinant antibody

Catalog Number:83517-3-RR



**Basic Information** 

Catalog Number: 83517-3-RR

BC007945 GeneID (NCBI): Size: 1000 ug/ml 6205 **UNIPROT ID:** Source: Rabbit P62280

Full Name: Isotype: ribosomal protein S11

Calculated MW: Immunogen Catalog Number: AG34848 158 aa, 18 kDa Observed MW:

18 kDa

GenBank Accession Number:

**Applications** 

**Tested Applications:** 

WB, IHC, IF/ICC, FC (Intra), ELISA

Species Specificity: human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

**Purification Method:** 

Protein A purfication CloneNo.:

240327D11 Recommended Dilutions: WB 1:5000-1:50000 IHC 1:200-1:800

IF/ICC 1:125-1:500

Positive Controls:

WB: ROS1728 cells, mouse testis tissue, rat testis

IHC: mouse testis tissue, IF/ICC: HepG2 cells,

**Background Information** 

RPS11 is a ribosomal protein involved in ribosome biogenesis. It is a component of the small ribosomal subunit. The ribosome is a large ribonucleoprotein complex responsible for the synthesis of proteins in the cell.

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 83517-3-RR (RPS11 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 83517-3-RR (RPS11 antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 83517-3-RR (RPS11 antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using RPS11 antibody (83517-3-RR, Clone: 240327D11) at dilution of 1:250 and MultirAb Coralite ® Plus 488-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR002), CL594-Phalloidin (red).



1x10^6 MCF-7 cells were intracellularly stained with 0.25 ug RPS11 Recombinant antibody (83517-3-RR, Clone:240327D11) and APC-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)(red), or 0.25 ug Isotype Control (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



Biolayer interferometry (BLL) kinetic assays of 83517-3-RR against Human RPS11 were performed. The affinity constant is 5.05 nM.