For Research Use Only

## MED12L Recombinant antibody, PBS Only

Catalog Number:83540-1-PBS



**Basic Information** 

Catalog Number:

GenBank Accession Number: NM\_053002

**Purification Method:** Protein A purfication

83540-1-PBS Size:

GeneID (NCBI):

CloneNo.:

1 mg/ml Source:

116931 **UNIPROT ID:**  240101C11

Rabbit Isotype:

mediator complex subunit 12-like

Immunogen Catalog Number:

Calculated MW:

Q86YW9 Full Name:

AG34636

240 kDa

**Applications** 

**Tested Applications:** 

IHC, IF/ICC, FC (Intra), ELISA

Species Specificity:

human, mouse

## **Background Information**

MED12L, also named as KIAA1635, TNRC11L, TRALP and TRALPUSH, belongs to the Mediator complex subunit 12 family. MED12L may be a component of the Mediator complex, a coactivator involved in the regulated transcription of nearly all RNA polymerase II-dependent genes. MED12L is a mediator functions as a bridge to convey information from gene-specific regulatory proteins to the basal RNA polymerase II transcription machinery. MED12L is recruited to promoters by direct interactions with regulatory proteins and serves as a scaffold for the assembly of a functional preinitiation complex with RNA polymerase II and the general transcription factors. This antibody can recognize all the isoform of MED12L. This antibody has no cross-reaction to MED12.

Storage

Storage:


Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C


Storage Buffer:

PBS Only


## **Selected Validation Data**



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using MED12L antibody (83540-1-RR, Clone: 240101C11) at dilution of 1:300 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L) (SA00013-1), CL594-Phalloidin (red). This data was developed using the same antibody clone with 83540-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using 83540-1-RR (MED12L antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 83540-1-PBS in a different storage buffer formulation.



1x10^6 U2OS cells were intracellularly stained with 0.25 ug MED12L Recombinant antibody (83540-1-RR, Clone:240101C11) and APC-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (red), or 0.25 ug Isotype Control (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011). This data was developed using the same antibody clone with 83540-1-PBS in a different storage buffer formulation.