

For Research Use Only

PD-L1/CD274 Recombinant antibody, PBS Only (Capture)



Catalog Number: 83600-7-PBS

Basic Information

Catalog Number: 83600-7-PBS	GenBank Accession Number: BC074984	Purification Method: Protein A purification
Size: 1 mg/ml	GeneID (NCBI): 29126	CloneNo.: 240721D4
Source: Rabbit	UNIPROT ID: Q9NZQ7	
Isotype: IgG	Full Name: CD274 molecule	
	Calculated MW: 290 aa, 33 kDa	

Applications

Tested Applications:
Sandwich ELISA, Indirect ELISA, Sample test

Species Specificity:
human

Background Information

Storage

Storage:
Store at -80°C.
The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer:
PBS Only

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Sandwich ELISA standard curve of MP00601-4, Human PD-L1/CD274 Recombinant Matched Antibody Pair - PBS only. 83600-7-PBS was coated to a plate as the capture antibody and incubated with serial dilutions of standard Eg1114. 83600-6-PBS was HRP conjugated as the detection antibody. Range: 3.9-250 pg/mL




Human peripheral blood mononuclear cells (PBMC) were cultured unstimulated or stimulated with 10 μ g/mL PHA for 3 days or 5 days. For the PBMC supernatant cultured for 3 days, the mean PD-L1/CD274 concentration was determined to be 7.7 pg/mL in unstimulated PBMC supernatant, 108.4 pg/mL in PHA stimulated PBMC supernatant. For the PBMC supernatant cultured for 5 days, the mean PD-L1/CD274 concentration was determined to be 11.0 pg/mL in unstimulated



Urine of seven individual healthy human donors was measured. The PD-L1/CD274 concentration of detected samples was determined to be 10.8 pg/mL with a range of 0.7 - 33.1 pg/mL



The mean PD-L1/CD274 concentration was determined to be 36,368.3 pg/mL in MDA-MB-231 cell extract based on a 2.3 mg/mL extract load.



Serum of sixteen individual healthy human donors was measured. The human PD-L1/CD274 concentration of detected samples was determined to be 75.1 pg/mL with a range of 34.4-168.1 pg/mL