

For Research Use Only

BBS5 Recombinant antibody

Catalog Number: 83722-1-RR



Basic Information

Catalog Number: 83722-1-RR	GenBank Accession Number: BC044593	Purification Method: Protein A purification
Size: 250 µg/ml	GeneID (NCBI): 129880	CloneNo.: 240674B5
Source: Rabbit	UNIPROT ID: Q8N3I7	Recommended Dilutions: WB 1:2000-1:10000
Isotype: IgG	Full Name: Bardet-Biedl syndrome 5	
Immunogen Catalog Number: AG6153	Calculated MW: 39 kDa	
	Observed MW: 39 kDa	

Applications

Tested Applications:
WB, ELISA

Species Specificity:
human, mouse, rat

Positive Controls:
WB : mouse retina tissue, mouse eye tissue, mouse kidney tissue, mouse testis tissue, rat testis tissue

Background Information

BBS5 encodes a protein that has been directly linked to Bardet-Biedl syndrome. Bardet-Biedl syndrome (BBS) is an autosomal recessive condition characterised by rod-cone dystrophy, postaxial polydactyly, central obesity, mental retardation, hypogonadism, and renal dysfunction. Other associated clinical findings in BBS patients include diabetes, hypertension and congenital heart defects. BBS expression varies both within and between families and diagnosis is often difficult. Experimentation in non-human eukaryotes suggests that BBS5 is expressed in ciliated cells and that it is required for the formation of cilia. Alternate transcriptional splice variants have been observed but have not been fully characterized.

Storage

Storage:
Store at -20°C. Stable for one year after shipment.

Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 83722-1-RR (BBS5 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with 83722-1-RR (BBS5 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.