For Research Use Only

Granzyme B Recombinant antibody

Catalog Number:83763-5-RR



Purification Method:

Protein A purfication

Recommended Dilutions:

CloneNo.:

240761C6

WB 1:500-1:2000

Basic Information

Catalog Number:

83763-5-RR

Size: 1000 µg/ml Source:

Rabbit Isotype:

GenBank Accession Number:

Full Name:

lymphocyte-associated serine

esterase 1) Calculated MW: 247 aa, 28 kDa Observed MW:

Applications

Tested Applications:

WB. ELISA

Species Specificity:

human

BC030195 GeneID (NCBI):

3002

UNIPROT ID: P10144

granzyme B (granzyme 2, cytotoxic T-

33 kDa

Positive Controls:

WB: NK-92 cells,

Background Information

GZMB(Granzyme B) is also named as CGL1, CSPB, CTLA1, GRB and belongs to the Granzyme subfamily. This enzyme is necessary for target cell lysis in cell-mediated immune responses. The cytotoxic lymphocyte protease granzyme B (GzmB) can promote apoptosis through direct processing and activation of members of the caspase family. GzmB can also cleave the BH3-only protein, BID, to promote caspase-independent mitochondrial permeabilization (PMID:17283187). GzmB induces laminB degradation in isolated nuclei less efficiently than GzmA (PMID:11331782). This full length protein has 2 glycosylation sites and a signal peptide. Unglycosylated human granzyme B is 26 kDa and high mannose glycosylated is 32 kDa and only 32kDa or smaller forms of granzyme B are accumulated within nuclei (PMID:8626751). GzmB also forms dimers.


Storage

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



NK-92 cells were subjected to SDS PAGE followed by western blot with 83763-5-RR (GZMB antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Biolayer interferometry (BLL) kinetic assays of 83763-5-RR against Human Granzyme B were performed. The affinity constant is 0.281 nM.