For Research Use Only

## ATP2B1 Recombinant antibody

Catalog Number:83827-3-RR





Basic Information	Catalog Number: 83827-3-RR	GenBank Accession Number: NM_001001323.1	Purification Method: Protein A purification
	Size: 1000 μg/ml	GenelD (NCBI): 490	CloneNo.: 240848D10
	Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG32423	UNIPROT ID: P20020 Full Name: ATPase, Ca++ transporting, plasma membrane 1	Recommended Dilutions: WB 1:5000-1:50000 IHC 1:250-1:1000
		Observed MW: 130 kDa	
		Applications	Tested Applications: WB, IHC, ELISA Species Specificity: human, mouse
WB : unboiled mouse brain tissue, IHC : mouse small intestine tissue,			
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0			
Background Information	ATPase plasma membrane Ca2+ transporting 1 (ATP2B1, also known as plasma membrane Ca2+ pump isoform 1; PMCA1) belongs to the family of ATP-driven calmodulin-dependent Ca2+ pumps that participate in the regulation of intracellular free Ca2+ (PMID:35358416). The ATP2B1 contents of extracellular vesicles are increased in prostate cancer treated with enzalutamide and are negatively regulated by androgen receptors (PMID:29105980). ATP2B1 plays an important role in the prognosis of cholangiocarcinoma. Furthermore, ATP2B1 plays an important role in the prognosis of cholangiocarcinoma and can be a prognostic factor for cholangiocarcinoma (PMID:35875160).		
Storage	Storage: Store at -20°C. Stable for one year Storage Buffer: PBS with 0.02% sodium azide and Aliquoting is unnecessary for -20°	50% glycerol pH 7.3.	

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





unboiled mouse brain tissue were subjected to SDS PAGE followed by western blot with 83827-3-RR (ATP2B1 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. Immunohistochemical analysis of paraffinembedded mouse small intestine tissue slide using 83827-3-RR (ATP2B1 antibody) at dilution of 1:0 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Biolayer interferometry (BLL) kinetic assays of 83827-3-RR against Human ATP2B1 were performed. The affinity constant is 10.3 nM.