## For Research Use Only

## TRMT6 Recombinant antibody

Catalog Number:83843-5-RR



**Basic Information** 

Catalog Number:GenBank Accession Number:Purification Method:83843-5-RRBC001262Protein A purfication

 Size:
 GeneID (NCBI):
 CloneNo.:

 1000 ug/ml
 51605
 240911C5

55-60 kDa

 Source:
 UNIPROT ID:
 Recommended Dilutions:

 Rabbit
 Q9UJA5
 WB 1:5000-1:50000

 Isotype:
 Full Name:
 IHC 1:1500-1:6000

 IgG
 tRNA methyltransferase 6 homolog (S. IF/ICC 1:125-1:500)

Immunogen Catalog Number: cerevisiae)
AG10176 Calculated MW:

56 kDa
Observed MW:

**Applications** 

Tested Applications: WB, IHC, IF/ICC, ELISA

Species Specificity:

humar

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: U-251 cells, U-87 MG cells, HepG2 cells, SMMC-

7721 cells, HuH-7 cells

IHC : human ovarian cancer,
IF/ICC : HeLa cells, A431 cells

## **Background Information**

Transfer RNA (tRNA) modifications help regulate the efficiency of mRNA translation by maintaining the correct reading frames within mRNA. TRMT6 (tRNA methyltransferase 6), also known as GCD10 or TRM6, is a 497 amino acid protein that localizes to the nucleus and exists as a heterodimer with TRM61. Expressed in liver, brain, ovary and testis, TRMT6 functions as a substrate-binding subunit of tRNA and is thought to catalyze the formation of N(1)-methyladenine at position 58 in initiator methionyl-tRNA.

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 83843-5-RR (TRMT6 antibody) at dilution of 1:15000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human ovarian cancer slide using 83843-5-RR (TRMT6 antibody) at dilution of 1:3000 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using TRMT6 antibody (83843-5-RR, Clone: 240911C5) at dilution of 1:250 and CoraLite® 488-Conjugated Affini Pure Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red).



Immunofluorescent analysis of (4% PFA) fixed A431 cells using TRMT6 antibody (83843-5-RR, Clone: 240911C5) at dilution of 1:250 and Coralite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red).



Biolayer interferometry (BLL) kinetic assays of 83843-5-RR against Human TRMT6 were performed. The affinity constant is below 1 pM.