For Research Use Only

## CD25/IL2RA Recombinant antibody

Catalog Number:83896-1-RR




Basic Information	Catalog Number: 83896-1-RR	GenBank Accession Number: BC 156627	Purification Method: Protein A purification				
	Size: 1000 ug/ml	GenelD (NCBI): 3559	CloneNo.: 240906A12				
	Source: Rabbit	UNIPROT ID: P01589	Recommended Dilutions: WB 1:5000-1:50000				
	Isotype: IgG	Full Name: interleukin 2 receptor, alpha Calculated MW: 272 aa, 31 kDa Observed MW: 60 kDa					
				Applications	Tested Applications:	Positive Controls:	
					WB, ELISA Species Specificity: human	WB : MJ co	ells,
Background Informatio	Proliferation of T lymphocytes is triggered by the interaction of IL-2 with its specific receptor following T lymphocyte activation. The receptor for IL-2 has three forms, generated by different combinations of three different proteins, the alpha chain (IL-2R alpha), the beta chain (IL-2R beta), and the gamma chain (IL-2R gamma) (PMID: 8476561). IL-2R alpha (also known as CD25) is a type I transmembrane protein present in activated T cells, activated B cells, some thymocytes, myeloid precursors, and oligodendrocytes. CD25 is also found on natural CD4+ Foxp3+ Treg cells (PMID: 22585674).						
Storage	Storage: Store at -20°C. Stable for one year after shipment. Storage Buffer: PBS with 0.02% sodium azide and 50% glycerol pH 7.3. Aliquoting is unnecessary for -20°C storage						

 For technical support and original validation data for this product please contact:

 T: 4006900926
 E: Proteintech-CN@ptglab.com
 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



MJ cells were subjected to SDS PAGE followed by western blot with 83896-1-RR (IL2RA antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.

ése.

 $\begin{array}{c} 180 \text{ kDa} \rightarrow \\ 140 \text{ kDa} \rightarrow \\ 100 \text{ kDa} \rightarrow \\ 75 \text{ kDa} \rightarrow \end{array}$ 

60 kDa→ ← IL2RA

45 kDa→

35 kDa-

25 kDa→

Biolayer interferometry (BLI) kinetic assays of 83896-1-RR against Human CD25/IL2RA were performed. The affinity constant is 31.7 nM.