## For Research Use Only

## FBP2 Recombinant antibody

Catalog Number:83910-5-RR



**Basic Information** 

Catalog Number: GenBank Accession Number:

 83910-5-RR
 BC113632

 Size:
 GeneID (NCBI):

 1000 ug/ml
 8789

 Source:
 UNIPROT ID:

 Rabbit
 000757

Isotype: Full Name:
IgG fructose-1,6-bisphosphatase 2

Immunogen Catalog Number:Calculated MW:AG18245339 aa, 37 kDaObserved MW:

Observed I 37 kDa Purification Method: Protein A purfication

CloneNo.: 240879C9

Recommended Dilutions: WB 1:5000-1:50000 IHC 1:300-1:1200 IF/ICC 1:125-1:500

**Applications** 

Tested Applications: WB, IHC, IF/ICC, ELISA Species Specificity:

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

human, mouse, rat

Positive Controls

WB: mouse heart tissue, rat skeletal muscle tissue

IHC : mouse skeletal muscle tissue,
IF/ICC : mouse skeletal muscle tissue,

## **Background Information**

FBP2, also named muscle FBP, belongs to the FBPase class 1 family. FBP2 is a ubiquitously expressed enzyme of glycogen synthesis from non-carbohydrates, e.g., lactate (glyconeogenesis). However, it also plays a variety of non-enzymatic functions. FBP2 is involved in the regulation of hypoxia-inducible factor 1 (Hif1) stability, cell cycle-dependent events, biogenesis of mitochondria, and protection of the organelles against high reactive oxygen species (ROS)- and high Ca2+-induced stress (PMID: 32962293, PMID: 35626746). The calculated molecular weight of FBP2 is 37 kDa

Storage


Storage:

Store at -20°C. Stable for one year after shipment. Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

## **Selected Validation Data**




Mouse heart tissue were subjected to SDS PAGE followed by western blot with 83910-5-RR (FBP2 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse skeletal muscle tissue slide using 83910-5-RR (FBP2 antibody) at dilution of 1:600 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse skeletal muscle tissue slide using 83910-5-RR (FBP2 antibody) at dilution of 1:600 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed mouse skeletal muscle tissue using FBP2 antibody (83910-5-RR, Clone: 240879C9) at dilution of 1:250 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2).