

For Research Use Only

# XBP1S-specific Recombinant antibody, PBS Only

Catalog Number:83959-5-PBS



## Basic Information

<b>Catalog Number:</b> 83959-5-PBS	<b>GenBank Accession Number:</b> BC000938	<b>Purification Method:</b> Protein A purification
<b>Size:</b> 1 mg/ml	<b>GeneID (NCBI):</b> 7494	<b>CloneNo.:</b> 241004B6
<b>Source:</b> Rabbit	<b>UNIPROT ID:</b> P17861	
<b>Isotype:</b> IgG	<b>Full Name:</b> X-box binding protein 1	
<b>Immunogen Catalog Number:</b> AG21703	<b>Calculated MW:</b> 261 aa, 29 kDa	
	<b>Observed MW:</b> 60 kDa	

## Applications

**Tested Applications:**  
WB, IHC, FC (Intra), ELISA

**Species Specificity:**  
human, mouse, rat

## Background Information

XBP1, also named as XBP2, belongs to the bZIP family. The X-box-binding protein-1 (XBP1) is a transcriptional regulator of the ER stress response that lies downstream of inositol-requiring enzyme 1 (IRE1 $\alpha$ ) activation (PMID: 14559994). XBP1 localizes in the nucleus. As a transcription factor, it is essential for hepatocyte growth, the differentiation of plasma cells, the immunoglobulin secretion, and the unfolded protein response. XBP1 has an association with major affective disorder. The unspliced XBP1U isoform is composed of 261 amino acid residues, and the spliced XBP1S isoform is composed of 376 amino acid residues. The calculated molecular weight of protein generated from the unspliced XBP1 isoform XBP1U mRNA is 33 kDa, and protein generated from spliced XBP1 isoform XBP1S mRNA is 54 kDa. This antibody specially recognizes the XBP1S isoform.

## Storage

**Storage:**  
Store at -80°C.  
**The product is shipped with ice packs. Upon receipt, store it immediately at -80°C**

**Storage Buffer:**  
PBS Only

For technical support and original validation data for this product please contact:


T: 4006900926

E: [Proteintech-CN@ptglab.com](mailto:Proteintech-CN@ptglab.com)


W: [ptgcn.com](http://ptgcn.com)

**This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.**


## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 83959-5-RR (XBP1S-specific antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 83959-5-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffin-embedded mouse liver tissue slide using 83959-5-RR (XBP1S-specific antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 83959-5-PBS in a different storage buffer formulation.



1x10<sup>6</sup> Ramos cells were intracellularly stained with 0.25 ug XBP1S-specific Recombinant antibody (83959-5-RR, Clone:241004B6) and APC-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (red), or 0.25 ug Isotype Control (blue). Cells were fixed and permeabilized with True-Nuclear Transcription Factor Buffer Set. This data was developed using the same antibody clone with 83959-5-PBS in a different storage buffer formulation.