For Research Use Only

NMI Recombinant antibody

Catalog Number:83986-2-RR



Basic Information

Catalog Number:

GenBank Accession Number: BC001268

Purification Method:

83986-2-RR

Protein A purification

Size:

GeneID (NCBI):

CloneNo.:

WB 1:5000-1:50000

WB: HeLa cells, K-562 cells, PC-3 cells, HepG2 cells

1000 $\,\mu$ g/ml

9111

241135A9

Source: Rabbit

UNIPROT ID: Q13287

Recommended Dilutions:

Isotype:

Full Name:

Immunogen Catalog Number:

N-myc (and STAT) interactor

Calculated MW:

AG34759

35 kDa

Observed MW:

35 kDa

Applications

Tested Applications: WB, FC (Intra), ELISA

Positive Controls:

Species Specificity:

human

Background Information

N-Myc and STAT Interactor protein (NMI) is an interferon inducible protein that interacts with NMYC and CMYC (members of the oncogene Myc family), and other transcription factors containing a Zip, HLH, or HLH-Zip motif. It is widely involved in the process of tumor growth, progression, and metastasis.

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 83986-2-RR (NMI antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



1x10^6 HepG2 cells were intracellularly stained with 0.25 ug NMI Recombinant antibody (83986-2-RR, Clone:241135A9) and APC-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)(red), or 0.25 ug Isotype Control (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).