For Research Use Only

GCNA Recombinant antibody

Catalog Number:84124-4-RR



Basic Information

Catalog Number: GenBank Accession Number:

 84124-4-RR
 BC136259

 Size:
 GeneID (NCBI):

 1000 ug/ml
 93953

 Source:
 UNIPROT ID:

 Rabbit
 Q96QF7

IgG acidic repeat containing

Immunogen Catalog Number:Calculated MW:AG21895691 aa, 76 kDa

Observed MW: 90 kDa

Isotype: Full Name:

Applications

Tested Applications:

WB, ELISA

Species Specificity:

human

Positive Controls:

WB: LNCaP cells, DU 145 cells, MCF-7 cells, A549 cells,

Purification Method:

Protein A purfication

Recommended Dilutions:

WB 1:5000-1:50000 IF/ICC 1:200-1:800

CloneNo.:

241428A9

HepG2 cells, PC-3 cells, human testis tissue

IF/ICC: LNCaP cells,

Background Information

GCNA, also known as ACRC, belongs to the serine-aspartate repeat-containing protein (SDr) family. GCNA has remained tightly associated with sexual reproduction showing enriched expression within germ cells in both invertebrate and vertebrate species. GCNA has recently been implicated in resolving DPCs in germ cells and early embryos. GCNA is targeted to SUMOylated DPC proteins through its SUMO-interacting motifs (SIMs), reinforcing the importance of SUMOylation in DPC repair. The amino acid sequence homology of GCNA in humans and mice is very low. The calculated molecular weight of GCNA is 76 kDa. Sometimes higher molecular weight around 90 kDa can also be observed, which may be caused by SUMO modification (PMID: 31839537, 32329115).

Storage

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 84124-4-RR (GCNA antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed LNCaP cells using GCNA antibody (84124-4-RR, Clone: 241428A9) at dilution of 1:400 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-Phalloidin (red).



Biolayer interferometry (BLI) kinetic assays of 84124-4-RR against Human GCNA were performed. The affinity constant is below 1 pM.