

For Research Use Only

Kininogen-1 Recombinant antibody, PBS Only

Catalog Number:84175-5-PBS



Basic Information

Catalog Number:

84175-5-PBS

Size:

1 mg/ml

Source:

Rabbit

Isotype:

IgG

GenBank Accession Number:

NM_001102416.3

GeneID (NCBI):

3827

UNIPROT ID:

P01042-1

Full Name:

kininogen 1

Calculated MW:

72kDa

Observed MW:

48 kDa

Purification Method:

Protein A purification

CloneNo.:

241397C11

Applications

Tested Applications:

WB, Indirect ELISA

Species Specificity:

human

Background Information

Kininogens are inhibitors of thiol proteases. Kininogen 1 plays important role in Kinin-kallikrein system. This KNG1 gene contains 10 exons and encodes two proteins through alternative splicing: high molecular weight kininogen (HMWK) (72kDa) and low molecular weight kininogen (LMWK) (48kDa) (PMID: 37442062). HMWK is produced by the liver together with prekallikrein. It acts mainly as a cofactor on coagulation and inflammation, and has no intrinsic catalytic activity. LMWK is produced locally by numerous tissues, and secreted together with tissue kallikrein.

Storage

Storage:

Store at -80°C.

The product is shipped with ice packs. Upon receipt, store it immediately at -80°C

Storage Buffer:

PBS Only

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Rat plasma was subjected to SDS PAGE followed by western blot with 84175-5-RR (Kininogen-1 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 84175-5-PBS in a different storage buffer formulation.



Human plasma was subjected to SDS PAGE followed by western blot with 84175-5-RR (Kininogen-1 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 84175-5-PBS in a different storage buffer formulation.



1x10⁶ HT-29 cells were intracellularly stained with 0.25 ug Kininogen-1 Recombinant antibody (84175-5-RR, Clone:241397C11) (red), or 0.25 ug Isotype Control (blue) and PE-Conjugated Goat Anti-Rabbit IgG(H+L). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C). This data was developed using the same antibody clone with 84175-5-PBS in a different storage buffer formulation.



Biolayer interferometry (BLI) kinetic assays of 84175-5-RR against Human Kininogen-1 were performed. The affinity constant is 0.182 nM.