For Research Use Only

ATPBD3 Recombinant antibody, PBS Only




Catalog Number:84318-4-PBS

		Protein A purfication
Size:	GeneID (NCBI):	CloneNo.:
0		241630C4
Source: Rabbit	UNIPROTID: Q7Z7A3	
lsotype: IgG	Full Name: ATP binding domain 3	
Immunogen Catalog Number: AG35037	Calculated MW: 36 kDa	
	Observed MW: 35 kDa	
Tested Applications: WB, IHC, IF-P, Indirect ELISA		
Species Specificity: human		
ATPBD3, also known as CTU1, NCS6, is a subunit of a highly conserved protein complex involved in the thiolation o wobble U34(PMID: 18391219). ATPBD3 directly binds tRNAs and probably acts by catalyzing the adenylation of tRNAs, an intermediate required for 2-thiolation.		
Storage: Store at -80°C. The product is shipped with ice pa	ucks. Unon receint, store it immediatel	vat-80°C
Storage Buffer: PBS Only		
	Isotype: IgG Immunogen Catalog Number: AG35037 Tested Applications: WB, IHC, IF-P, Indirect ELISA Species Specificity: human ATPBD3, also known as CTU1, NC: wobble U34(PMID: 18391219). AT tRNAs, an intermediate required f Storage: Storage: Storage Storage Storage Buffer:	1 mg/ml 90353 Source: UNIPROT ID: Rabbit Q7Z7A3 Isotype: Full Name: IgG ATP binding domain 3 Immunogen Catalog Number: Calculated MW: AG35037 36 kDa Observed MW: 35 kDa Tested Applications: WB, IHC, IF-P, Indirect ELISA Species Specificity: human ATPBD3, also known as CTU1, NCS6, is a subunit of a highly conserved p wobble U34(PMID: 18391219). ATPBD3 directly binds tRNAs and probabit tRNAs, an intermediate required for 2-thiolation. Storage: Storage: Storage Buffer:

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 84318-4-RR (ATPBD3 antibody) at dilution of 1:5000 incubated at room


temperature for 1.5 hours. This data was developed using the same antibody clone with 84318-4-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded mouse kidney tissue slide using 84318-4-RR (ATPBD3 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 84318-4-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded mouse kidney tissue slide using 84318-4-RR (ATPBD3 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 84318-4-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded mouse kidney tissue using ATPBD3 antibody (84318-4-RR, Clone: 241630C4) at dilution of 1:400 and Coralite®488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 84318-4-PBS in a different storage buffer formulation.



Biolayer interferometry (BLL) kinetic assays of 84318-4-RR against Human ATPBD3 were performed. The affinity constant is 0.406 nM.