For Research Use Only

ICAM3/CD50 Recombinant antibody

Size:

Catalog Number:84335-3-RR



Purification Method:

Basic Information

Catalog Number: GenBank Accession Number: 84335-3-RR

BC058903 Protein A purification GeneID (NCBI): CloneNo.:

1000 $\,\mu$ g/ml 3385 241418C10 **UNIPROT ID:** Recommended Dilutions: Source: Rabbit P32942 IF/ICC 1:125-1:500

Full Name: Isotype:

intercellular adhesion molecule 3

Calculated MW: 547 aa, 60 kDa

Applications

Tested Applications: IF/ICC, ELISA

Species Specificity: human

Positive Controls: IF/ICC: Ramos cells,

Background Information

Intercellular Adhesion Molecule 3 (ICAM-3), also known as CD50, is a member of the immunoglobulin superfamily. It is a transmembrane glycoprotein that contains an N-terminus extracellular domain, a single transmembrane domain, and a C-terminus cytoplasmic domain. ICAM-3 possesses 2-9 Ig-like C2-type domains in its extracellular region and is known to bind to the leukocyte adhesion protein LFA-1. This molecule is expressed on leukocytes and epidermal Langerhans cells and plays a significant role in immune cell interactions and T lymphocyte activation.


Storage

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed Ramos cells using ICAM3 antibody (84335-3-RR, Clone: 241418C10) at dilution of 1:250 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2).