For Research Use Only

CD40 Recombinant antibody

Catalog Number:84406-1-RR




Basic Information	Catalog Number: 84406-1-RR	GenBank Accession Number: NM_001250.6	Purification Method: Protein A purification	
	Size: 1000 µg/ml	GenelD (NCBI): 958	CloneNo.: 241760A4	
	Source: Rabbit Isotype: IgG	ENSEMBL Gene ID: ENSG0000101017 UNIPROT ID: P25942-1	Recommended Dilutions: WB 1:2000-1:10000 IHC 1:500-1:2000	
				Full Name: CD40 molecule, TNF receptor superfamily member 5
		Calculated MW: 31kDa		
		Applications	Tested Applications: WB, IHC, ELISA	Positive
WB : Raji cells, Daudi cells, Ramos cells				
Species Specificity: IHC : human tonsillitis tissue, human IHC : human tonsillitis tissue,			an tonsillitis tissue,	
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0				
Background Information	CD40, also named as TNFRSF5 and Bp50, is a receptor for TNFSF5/CD40LG. It is a member of the TNFR superfamily and is responsible for the efficient activation of cell-mediated and humoral immune responses via activated T cells and B cells respectively. Defects in CD40 lead to hyper-IgM immunodeficiency syndrome type 3 (HIGM3) (PMID: 11675497). This is an autosomal recessive disorder that includes the inability of B cells to undergo isotype switching, a key step in the final differentiation of the humoral immune response, and an inability to mount an antibody-specific immune response.			
Storage	Storage: Store at -20°C. Stable for on Storage Buffer: PBS with 0.02% sodium azid Aliquoting is unnecessary fo	de and 50% glycerol pH 7.3.		

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 84406-1-RR (CD40 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 84406-1-RR (CD40 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).

Various lysates were subjected to SDS PAGE followed by western blot with 84406-1-RR (CD40/TNFRSF5 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.